

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

----- Run title (3 lines) -----

CALPUFF MODEL CONTROL FILE

INPUT GROUP: 0 -- Input and Output File Names

Default Name	Type	File Name
--------------	------	-----------

CALMET.DAT	input	! METDAT = CALMET.DAT !
------------	-------	-------------------------

or

ISCMET.DAT	input	* ISCDAT = *
------------	-------	--------------

or

PLMMET.DAT	input	* PLMDAT = *
------------	-------	--------------

or

PROFILE.DAT	input	* PRFDAT = *
-------------	-------	--------------

SURFACE.DAT	input	* SFCDAT = *
-------------	-------	--------------

RESTARTB.DAT	input	* RSTARTB = *
--------------	-------	---------------

CALPUFF.LST	output	! PUFLST = CALPUFF.LST !
-------------	--------	--------------------------

CONC.DAT	output	! CONDAT = CONC.DAT !
----------	--------	-----------------------

DFLX.DAT	output	! DFDAT = DFLX.DAT !
----------	--------	----------------------

WFLX.DAT	output	! WFDAT = WFLX.DAT !
----------	--------	----------------------

VISB.DAT	output	* VISDAT = *
----------	--------	--------------

TK2D.DAT	output	* T2DDAT = *
----------	--------	--------------

RHO2D.DAT	output	* RHODAT = *
-----------	--------	--------------

RESTARTE.DAT	output	* RSTARTE = *
--------------	--------	---------------

Other Files

OZONE.DAT	input	* OZDAT = *
-----------	-------	-------------

VD.DAT	input	* VDDAT = *
--------	-------	-------------

CHEM.DAT	input	* CHEMDAT = *
----------	-------	---------------

AUX	input	* AUXEXT = *
-----	-------	--------------

(Extension added to METDAT filename(s) for files
with auxiliary 2D and 3D data)

H2O2.DAT	input	* H2O2DAT = *
----------	-------	---------------

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

NH3Z.DAT input * NH3ZDAT = *
 HILL.DAT input * HILDAT = *
 HILLRCT.DAT input * RCTDAT = *
 COASTLN.DAT input * CSTDAT = *
 FLUXBDY.DAT input * BDYDAT = *
 BCON.DAT input * BCNDAT = *
 DEBUG.DAT output * DEBUG = *
 MASSFLX.DAT output * FLXDAT = *
 MASSBAL.DAT output * BALDAT = *
 FOG.DAT output * FOGDAT = *
 RISE.DAT output * RISDAT = *
 PFTRAK.DAT output * TRKDAT = *

 All file names will be converted to lower case if LCFILES = T
 Otherwise, if LCFILES = F, file names will be converted to UPPER CASE
 T = lower case ! LCFILES = F !
 F = UPPER CASE
 NOTE: (1) file/path names can be up to 132 characters in length

Provision for multiple input files

 Number of CALMET.DAT Domains (NMETDOM)
 Default: 1 ! NMETDOM = 1 !

Number of CALMET.DAT files (NMETDAT)
 (Total for ALL Domains)
 Default: 1 ! NMETDAT = 1 !

Number of PTEMARB.DAT files for run (NPTDAT)
 Default: 0 ! NPTDAT = 0 !

Number of BAEMARB.DAT files for run (NARDAT)
 Default: 0 ! NARDAT = 0 !

Number of VOLEMARB.DAT files for run (NVOLDAT)
 Default: 0 ! NVOLDAT = 0 !

Number of FLARE source files (FLEMARB.DAT)
 with time-varying data (NFLDAT)
 Default: 0 ! NFLDAT = 0 !

Number of ROAD source files (RDEMARB.DAT)
 with time-varying data (NRDDAT)
 Default: 0 ! NRDDAT = 0 !

Number of BUOYANT LINE source files (LNEMARB.DAT)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).
 Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

with time-varying data (NLNDAT)

Default: 0 ! NLNDAT = 0 !

Note: Only 1 BUOYANT LINE source file is allowed

!END!

Subgroup (0a)

Provide a name for each CALMET domain if NMETDOM > 1

Enter NMETDOM lines.

a,b

Default Name Domain Name

* DOMAINLIST = *

The following CALMET.DAT filenames are processed in sequence

if NMETDAT > 1

Enter NMETDAT lines, 1 line for each file name.

a,c,d

Default Name Type File Name

none input * METDAT= * *END*

a

The name for each CALMET domain and each CALMET.DAT file is treated as a separate input subgroup and therefore must end with an input group terminator.

b

Use DOMAIN1= to assign the name for the outermost CALMET domain.

Use DOMAIN2= to assign the name for the next inner CALMET domain.

Use DOMAIN3= to assign the name for the next inner CALMET domain, etc.

 | When inner domains with equal resolution (grid-cell size) |
 | overlap, the data from the FIRST such domain in the list will |
 | be used if all other criteria for choosing the controlling |
grid domain are inconclusive.

c

Use METDAT1= to assign the file names for the outermost CALMET domain.

Use METDAT2= to assign the file names for the next inner CALMET domain.

Use METDAT3= to assign the file names for the next inner CALMET domain, etc.

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

d

The filenames for each domain must be provided in sequential order

Subgroup (0b) – PTEMARB.DAT files

POINT Source File Names

The following PTEMARB.DAT filenames are processed if NPTDAT>0

A total of NPTDAT lines is expected with one file name assigned per line

Each line is treated as an input group and must terminate with END

(surrounded by delimiters)

(Each file contains emissions parameters for the entire period modeled for 1 or more sources)

Default Name	Type	File Name
-----	---	-----
* PTDATLIST = *		

Subgroup (0c) – BAEMARB.DAT files

BUOYANT AREA Source File Names

The following BAEMARB.DAT filenames are processed if NARDAT>0

A total of NARDAT lines is expected with one file name assigned per line

Each line is treated as an input group and must terminate with END

(surrounded by delimiters)

(Each file contains emissions parameters for the entire period modeled for 1 or more sources)

Default Name	Type	File Name
-----	---	-----
* ARDATLIST = *		

Subgroup (0d) – VOLEMARB.DAT files

VOLUME Source File Names

The following VOLEMARB.DAT filenames are processed if NVOLDAT>0

A total of NVOLDAT lines is expected with one file name assigned per line

Each line is treated as an input group and must terminate with END

(surrounded by delimiters)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(Each file contains emissions parameters for the entire period modeled for 1 or more sources)

Default Name	Type	File Name
-----	----	-----
* VOLDATLIST = *		

Subgroup (0e) – FLEMARB.DAT files		

FLARE Source File Names		
The following FLEMARB.DAT filenames are processed if NFLDAT>0		
A total of NFLDAT lines is expected with one file name assigned per line		
Each line is treated as an input group and must terminate with END		
(surrounded by delimiters)		
(Each file contains emissions parameters for the entire period modeled		
for 1 or more sources)		
Default Name Type File Name		

* FLEMARBLIST = *		

Subgroup (0f) – RDEMARB.DAT files		

ROAD Source File Names		
The following RDEMARB.DAT filenames are processed if NRDDAT>0		
A total of NRDDAT lines is expected with one file name assigned per line		
Each line is treated as an input group and must terminate with END		
(surrounded by delimiters)		
(Each file contains emissions parameters for the entire period modeled		
for 1 or more sources)		
Default Name Type File Name		

* RDEMARBLIST = *		

Subgroup (0g) – LNEMARB.DAT file		

BUOYANT LINE Source File Name (not more than 1)		
The following LNEMARB.DAT filename is processed if NLNDAT>0		

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

The assignment is treated as an input group and must terminate with END (surrounded by delimiters)

Default Name Type File Name

* LNEMARBLIST = *

INPUT GROUP: 1 -- General run control parameters

Option to run all periods found

in the met. file (METRUN) Default: 0 ! METRUN = 1 !

METRUN = 0 - Run period explicitly defined below

METRUN = 1 - Run all periods in met. file

Starting date: Year (IBYR) -- No default ! IBYR = 2023 !

Month (IBMO) -- No default ! IBMO = 1 !

Day (IBDY) -- No default ! IBDY = 1 !

Starting time: Hour (IBHR) -- No default ! IBHR = 0 !

Minute (IBMIN) -- No default ! IBMIN = 0 !

Second (IBSEC) -- No default ! IBSEC = 0 !

Ending date: Year (IEYR) -- No default ! IEYR = 2023 !

Month (IEMO) -- No default ! IEMO = 12 !

Day (IEDY) -- No default ! IEDY = 31 !

Ending time: Hour (IEHR) -- No default ! IEHR = 23 !

Minute (IEMIN) -- No default ! IEMIN = 0 !

Second (IESEC) -- No default ! IESEC = 3600 !

(These are only used if METRUN = 0)

Base time zone: (ABTZ) -- No default ! ABTZ = UTC+0000 !

(character*8)

The modeling domain may span multiple time zones. ABTZ defines the base time zone used for the entire simulation. This must match the base time zone of the meteorological data.

Examples:

Greenwich Mean Time (GMT) = UTC+0000

EST = UTC-0500

CST = UTC-0600

MST = UTC-0700

PST = UTC-0800

Los Angeles, USA = UTC-0800

New York, USA = UTC-0500

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Santiago, Chile = UTC-0400
 UK = UTC+0000
 Western Europe = UTC+0100
 Rome, Italy = UTC+0100
 Cape Town, S.Africa = UTC+0200
 Sydney, Australia = UTC+1000

Length of modeling time-step (seconds)

Equal to update period in the primary
 meteorological data files, or an
 integer fraction of it (1/2, 1/3 ...)

Must be no larger than 1 hour

(NSECDT) Default: 3600 ! NSECDT = 3600 !

Units: seconds

Number of chemical species (NSPEC)

Default: 5 ! NSPEC = 1 !

Number of chemical species

to be emitted (NSE) Default: 3 ! NSE = 1 !

Flag to stop run after

SETUP phase (ITEST) Default: 2 ! ITEST = 2 !

(Used to allow checking
 of the model inputs, files, etc.)

ITEST = 1 - STOPS program after SETUP phase

ITEST = 2 - Continues with execution of program
 after SETUP

Restart Configuration:

Control flag (MRESTART) Default: 0 ! MRESTART = 0 !

0 = Do not read or write a restart file

1 = Read a restart file at the beginning of the run

2 = Write a restart file during run

3 = Read a restart file at beginning of run and write a restart file during run

Number of periods in Restart

output cycle (NRESPD) Default: 0 ! NRESPD = 0 !

0 = File written only at last period

>0 = File updated every NRESPD periods

Meteorological Data Format (METFM)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Default: 1 ! METFM = 1 !

METFM = 1 - CALMET binary file (CALMET.MET)
 METFM = 2 - ISC ASCII file (ISCMET.MET)
 METFM = 3 - AUSPLUME ASCII file (PLMMET.MET)
 METFM = 4 - CTDM plus tower file (PROFILE.DAT) and
 surface parameters file (SURFACE.DAT)
 METFM = 5 - AERMET tower file (PROFILE.DAT) and
 surface parameters file (SURFACE.DAT)

Meteorological Profile Data Format (MPRFFM)

(used only for METFM = 1, 2, 3)

Default: 1 ! MPRFFM = 1 !

MPRFFM = 1 - CTDM plus tower file (PROFILE.DAT)
 MPRFFM = 2 - AERMET tower file (PROFILE.DAT)

Sigma-y is adjusted by the factor $(AVET/PGTIME)**0.2$ to either decrease it if the averaging time selected is less than the base averaging time, or increase it if the averaging time is greater. The base averaging time is denoted as PGTIME due to historical reasons as this adjustment was originally applied to the PG sigma option. It is now applied to all dispersion options. The factor is applied to the ambient turbulence sigma-v (m/s) and does not alter buoyancy enhancement or far-field Heffter growth.

Averaging Time (minutes) (AVET)

Default: 60.0 ! AVET = 60 !

Base Averaging Time (minutes) (PGTIME)

Default: 60.0 ! PGTIME = 60 !

Output units for binary concentration and flux files
 written in Dataset v2.2 or later formats

(IOUTU) Default: 1 ! IOUTU = 1 !

1 = mass - g/m3 (conc) or g/m2/s (dep)
 2 = odour - odour_units (conc)
 3 = radiation - Bq/m3 (conc) or Bq/m2/s (dep)

!END!

 INPUT GROUP: 2 -- Technical options

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Vertical distribution used in the
near field (MGAUSS) Default: 1 ! MGAUSS = 1 !
0 = uniform
1 = Gaussian

Terrain adjustment method
(MCTADJ) Default: 3 ! MCTADJ = 3 !
0 = no adjustment
1 = ISC-type of terrain adjustment
2 = simple, CALPUFF-type of terrain
adjustment
3 = partial plume path adjustment

Subgrid-scale complex terrain
flag (MCTSG) Default: 0 ! MCTSG = 0 !
0 = not modeled
1 = modeled

Near-field puffs modeled as
elongated slugs? (MSLUG) Default: 0 ! MSLUG = 0 !
0 = no
1 = yes (slug model used)

Transitional plume rise modeled?
(MTRANS) Default: 1 ! MTRANS = 1 !
0 = no (i.e., final rise only)
1 = yes (i.e., transitional rise computed)

Stack tip downwash? (MTIP) Default: 1 ! MTIP = 1 !
0 = no (i.e., no stack tip downwash)
1 = yes (i.e., use stack tip downwash)

Method used to compute plume rise for
point sources not subject to building
downwash? (MRISE) Default: 1 ! MRISE = 1 !
1 = Briggs plume rise
2 = Numerical plume rise

Apply stack-tip downwash to FLARE sources?
(MTIP_FL) Default: 0 ! MTIP_FL = 0 !
0 = no (no stack-tip downwash)
1 = yes (apply stack-tip downwash)

Plume rise module for FLARE sources
(MRISE_FL) Default: 2 ! MRISE_FL = 2 !
1 = Briggs module
2 = Numerical rise module

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Method used to simulate building

downwash? (MBDW) Default: 1 ! MBDW = 1 !

1 = ISC method

2 = PRIME method

Vertical wind shear modeled above

stack top? (MSHEAR) Default: 0 ! MSHEAR = 0 !

0 = no (i.e., vertical wind shear not modeled)

1 = yes (i.e., vertical wind shear modeled)

Puff splitting allowed? (MSPLIT) Default: 0 ! MSPLIT = 0 !

0 = no (i.e., puffs not split)

1 = yes (i.e., puffs are split)

Chemical mechanism flag (MCHEM) Default: 1 ! MCHEM = 0 !

0 = chemical transformation not modeled

1 = transformation rates computed internally (MESOPUFF II scheme)

2 = user-specified transformation rates used

3 = transformation rates computed internally (RIVAD/ARM3 scheme)

4 = secondary organic aerosol formation computed (MESOPUFF II scheme for OH)

5 = user-specified half-life with or without transfer to child species

6 = transformation rates computed internally (Updated RIVAD scheme with ISORROPIA equilibrium)

7 = transformation rates computed internally (Updated RIVAD scheme with ISORROPIA equilibrium and CalTech SOA)

Aqueous phase transformation flag (MAQCHEM)

(Used only if MCHEM = 6, or 7) Default: 0 ! MAQCHEM = 0 !

0 = aqueous phase transformation not modeled

1 = transformation rates and wet scavenging coefficients adjusted for in-cloud aqueous phase reactions (adapted from RADM cloud model implementation in CMAQ/SCICHEM)

Liquid Water Content flag (MLWC)

(Used only if MAQCHEM = 1) Default: 1 ! MLWC = 1 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

0 = water content estimated from cloud cover
and presence of precipitation
1 = gridded cloud water data read from CALMET
water content output files (filenames are
the CALMET.DAT names PLUS the extension
AUXEXT provided in Input Group 0)

Wet removal modeled ? (MWET) Default: 1 ! MWET = 0 !
0 = no
1 = yes

Dry deposition modeled ? (MDRY) Default: 1 ! MDRY = 0 !
0 = no
1 = yes
(dry deposition method specified
for each species in Input Group 3)

Gravitational settling (plume tilt)
modeled ? (MTILT) Default: 0 ! MTILT = 0 !
0 = no
1 = yes
(puff center falls at the gravitational
settling velocity for 1 particle species)

Restrictions:
- MDRY = 1
- NSPEC = 1 (must be particle species as well)
- sg = 0 GEOMETRIC STANDARD DEVIATION in Group 8 is
set to zero for a single particle diameter

Method used to compute dispersion
coefficients (MDISP) Default: 3 ! MDISP = 3 !

1 = dispersion coefficients computed from measured values
of turbulence, sigma v, sigma w
2 = dispersion coefficients from internally calculated
sigma v, sigma w using micrometeorological variables
(u*, w*, L, etc.)
3 = PG dispersion coefficients for RURAL areas (computed using
the ISCST multi-segment approximation) and MP coefficients in
urban areas
4 = same as 3 except PG coefficients computed using
the MESOPUFF II eqns.
5 = CTDM sigmas used for stable and neutral conditions.
For unstable conditions, sigmas are computed as in
MDISP = 3, described above. MDISP = 5 assumes that

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

measured values are read

Sigma-v/sigma-theta, sigma-w measurements used? (MTURBVW)

(Used only if MDISP = 1 or 5) Default: 3 ! MTURBVW = 3 !

- 1 = use sigma-v or sigma-theta measurements
from PROFILE.DAT to compute sigma-y
(valid for METFM = 1, 2, 3, 4, 5)
- 2 = use sigma-w measurements
from PROFILE.DAT to compute sigma-z
(valid for METFM = 1, 2, 3, 4, 5)
- 3 = use both sigma-(v/theta) and sigma-w
from PROFILE.DAT to compute sigma-y and sigma-z
(valid for METFM = 1, 2, 3, 4, 5)
- 4 = use sigma-theta measurements
from PLMMET.DAT to compute sigma-y
(valid only if METFM = 3)

Back-up method used to compute dispersion

when measured turbulence data are

missing (MDISP2) Default: 3 ! MDISP2 = 3 !

(used only if MDISP = 1 or 5)

- 2 = dispersion coefficients from internally calculated
sigma v, sigma w using micrometeorological variables
(u^* , w^* , L , etc.)
- 3 = PG dispersion coefficients for RURAL areas (computed using
the ISCST multi-segment approximation) and MP coefficients in
urban areas
- 4 = same as 3 except PG coefficients computed using
the MESOPUFF II eqns.

[DIAGNOSTIC FEATURE]

Method used for Lagrangian timescale for Sigma-y

(used only if MDISP=1,2 or MDISP2=1,2)

(MTAULY) Default: 0 ! MTAULY = 0 !

- 0 = Draxler default 617.284 (s)
- 1 = Computed as Lag. Length / (.75 q) -- after SCIPUFF
- 10 <Direct user input (s) -- e.g., 306.9

[DIAGNOSTIC FEATURE]

Method used for Advective-Decay timescale for Turbulence

(used only if MDISP=2 or MDISP2=2)

(MTAUADV) Default: 0 ! MTAUADV = 0 !

- 0 = No turbulence advection
- 1 = Computed (OPTION NOT IMPLEMENTED)
- 10 <Direct user input (s) -- e.g., 800

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Method used to compute turbulence sigma-v &
sigma-w using micrometeorological variables

(Used only if MDISP = 2 or MDISP2 = 2)

(MCTURB) Default: 1 ! MCTURB = 1 !

1 = Standard CALPUFF subroutines

2 = AERMOD subroutines

PG sigma-y,z adj. for roughness? Default: 0 ! MROUGH = 0 !

(MROUGH)

0 = no

1 = yes

Partial plume penetration of Default: 1 ! MPARTL = 1 !

elevated inversion modeled for
point sources?

(MPARTL)

0 = no

1 = yes

Partial plume penetration of Default: 1 ! MPARTLBA = 0 !

elevated inversion modeled for
buoyant area sources?

(MPARTLBA)

0 = no

1 = yes

Strength of temperature inversion Default: 0 ! MTINV = 0 !

provided in PROFILE.DAT extended records?

(MTINV)

0 = no (computed from measured/default gradients)

1 = yes

PDF used for dispersion under convective conditions?

Default: 0 ! MPDF = 0 !

(MPDF)

0 = no

1 = yes

Sub-Grid TIBL module used for shore line?

Default: 0 ! MSGTIBL = 0 !

(MSGTIBL)

0 = no

1 = yes

Boundary conditions (concentration) modeled?

Default: 0 ! MBCON = 0 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(MBCON)

0 = no

1 = yes, using formatted BCON.DAT file

2 = yes, using unformatted CONC.DAT file

Note: MBCON > 0 requires that the last species modeled be 'BCON'. Mass is placed in species BCON when generating boundary condition puffs so that clean air entering the modeling domain can be simulated in the same way as polluted air. Specify zero emission of species BCON for all regular sources.

Individual source contributions saved?

Default: 0 ! MSOURCE = 0 !

(MSOURCE)

0 = no

1 = yes

Analyses of fogging and icing impacts due to emissions from arrays of mechanically-forced cooling towers can be performed using CALPUFF in conjunction with a cooling tower emissions processor (CTEMISS) and its associated postprocessors. Hourly emissions of water vapor and temperature from each cooling tower cell are computed for the current cell configuration and ambient conditions by CTEMISS. CALPUFF models the dispersion of these emissions and provides cloud information in a specialized format for further analysis. Output to FOG.DAT is provided in either 'plume mode' or 'receptor mode' format.

Configure for FOG Model output?

Default: 0 ! MFOG = 0 !

(MFOG)

0 = no

1 = yes - report results in PLUME Mode format

2 = yes - report results in RECEPTOR Mode format

Test options specified to see if they conform to regulatory values? (MREG)

Default: 1 ! MREG = 0 !

0 = NO checks are made

1 = Technical options must conform to USEPA

Long Range Transport (LRT) guidance

METFM 1 or 2

AVET 60. (min)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

PGTIME 60. (min)
 MGAUSS 1
 MCTADJ 3
 MTRANS 1
 MTIP 1
 MRISE 1
 MCHEM 1 or 3 (if modeling SOx, NOx)
 MWET 1
 MDRY 1
 MDISP 2 or 3
 MPDF 0 if MDISP=3
 1 if MDISP=2
 MROUGH 0
 MPARTL 1
 MPARTLBA 0
 SYTDEP 550. (m)
 MHFTSZ 0
 SVMIN 0.5 (m/s)

!END!

INPUT GROUP: 3a, 3b -- Species list

Subgroup (3a)

The following species are modeled:

! CSPEC = PM10 ! !END!

SPECIES NAME (Limit: 12 Characters in length)	MODELED (0=NO, 1=YES)	Dry EMITTED (0=NO, 1=YES) 1=COMPUTED-GAS 2=COMPUTED-PARTICLE 3=USER-SPECIFIED)	OUTPUT GROUP DEPOSITED (0=NO, 1=1st CGRUP, 2=2nd CGRUP, 3= etc.)	NUMBER (0=NONE,
! PM10 =	1,	1,	2,	0 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

!END!

Note: The last species in (3a) must be 'BCON' when using the boundary condition option (MBCON > 0). Species BCON should typically be modeled as inert (no chem transformation or removal).

Subgroup (3b)

The following names are used for Species-Groups in which results for certain species are combined (added) prior to output. The CGRUP name will be used as the species name in output files. Use this feature to model specific particle-size distributions by treating each size-range as a separate species. Order must be consistent with 3(a) above.

INPUT GROUP: 4 -- Map Projection and Grid control parameters

Projection for all (X,Y):

Map projection
(PMAP) Default: UTM ! PMAP = UTM !

UTM : Universal Transverse Mercator
TTM : Tangential Transverse Mercator
LCC : Lambert Conformal Conic
PS : Polar Stereographic
EM : Equatorial Mercator
LAZA : Lambert Azimuthal Equal Area

False Easting and Northing (km) at the projection origin
(Used only if PMAP= TTM, LCC, or LAZA)
(FEAST) Default=0.0 ! FEAST = 0.0 !
(FNORTH) Default=0.0 ! FNORTH = 0.0 !

UTM zone (1 to 60)
(Used only if PMAP=UTM)
(IUTMZN) No Default ! IUTMZN = 32 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).
Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Hemisphere for UTM projection?

(Used only if PMAP=UTM)

(UTMHEM) Default: N ! UTMHEM = N !

N : Northern hemisphere projection

S : Southern hemisphere projection

Latitude and Longitude (decimal degrees) of projection origin

(Used only if PMAP= TTM, LCC, PS, EM, or LAZA)

(RLAT0) No Default ! RLAT0 = 0.00N !

(RLON0) No Default ! RLON0 = 0.00E !

TTM : RLON0 identifies central (true N/S) meridian of projection

RLAT0 selected for convenience

LCC : RLON0 identifies central (true N/S) meridian of projection

RLAT0 selected for convenience

PS : RLON0 identifies central (grid N/S) meridian of projection

RLAT0 selected for convenience

EM : RLON0 identifies central meridian of projection

RLAT0 is REPLACED by 0.0N (Equator)

LAZA: RLON0 identifies longitude of tangent-point of mapping plane

RLAT0 identifies latitude of tangent-point of mapping plane

Matching parallel(s) of latitude (decimal degrees) for projection

(Used only if PMAP= LCC or PS)

(XLAT1) No Default ! XLAT1 = 30N !

(XLAT2) No Default ! XLAT2 = 60N !

LCC : Projection cone slices through Earth's surface at XLAT1 and XLAT2

PS : Projection plane slices through Earth at XLAT1

(XLAT2 is not used)

Note: Latitudes and longitudes should be positive, and include a

letter N,S,E, or W indicating north or south latitude, and

east or west longitude. For example,

35.9 N Latitude = 35.9N

118.7 E Longitude = 118.7E

Datum-region

The Datum-Region for the coordinates is identified by a character string. Many mapping products currently available use the model of the Earth known as the World Geodetic System 1984 (WGS-84). Other local models may be in use, and their selection in CALMET will make its output

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

consistent with local mapping products. The list of Datum-Regions with official transformation parameters is provided by the National Imagery and Mapping Agency (NIMA).

NIMA Datum - Regions(Examples)

 WGS-84 WGS-84 Reference Ellipsoid and Geoid, Global coverage (WGS84)
 NAS-C NORTH AMERICAN 1927 Clarke 1866 Spheroid, MEAN FOR CONUS (NAD27)
 NAR-C NORTH AMERICAN 1983 GRS 80 Spheroid, MEAN FOR CONUS (NAD83)
 NWS-84 NWS 6370KM Radius, Sphere
 ESR-S ESRI REFERENCE 6371KM Radius, Sphere

Datum-region for output coordinates

(DATUM) Default: WGS-84 ! DATUM = WGS-84 !

METEOROLOGICAL Grid (outermost if nested CALMET grids are used):

Rectangular grid defined for projection PMAP,
 with X the Easting and Y the Northing coordinate

No. X grid cells (NX) No default ! NX = 80 !
 No. Y grid cells (NY) No default ! NY = 80 !
 No. vertical layers (NZ) No default ! NZ = 5 !

Grid spacing (DGRIDKM) No default ! DGRIDKM = 0.1 !
 Units: km

Cell face heights
 (ZFACE(nz+1)) No defaults
 Units: m

! ZFACE = 0.0, 20.0, 40.0, 80.0, 160.0, 500.0 !

Reference Coordinates
 of SOUTHWEST corner of
 grid cell(1, 1):

X coordinate (XORIGKM) No default ! XORIGKM = 625.5070 !
 Y coordinate (YORIGKM) No default ! YORIGKM = 4766.2070 !
 Units: km

COMPUTATIONAL Grid:

The computational grid is identical to or a subset of the MET. grid.
 The lower left (LL) corner of the computational grid is at grid point
 (IBCOMP, JBCOMP) of the MET. grid. The upper right (UR) corner of the

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

computational grid is at grid point (IECOMP, JECOMP) of the MET. grid.
The grid spacing of the computational grid is the same as the MET. grid.

X index of LL corner (IBCOMP) No default ! IBCOMP = 1 !
(1 <= IBCOMP <= NX)

Y index of LL corner (JBCOMP) No default ! JBCOMP = 1 !
(1 <= JBCOMP <= NY)

X index of UR corner (IECOMP) No default ! IECOMP = 80 !
(1 <= IECOMP <= NX)

Y index of UR corner (JECOMP) No default ! JECOMP = 80 !
(1 <= JECOMP <= NY)

SAMPLING Grid (GRIDDED RECEPTORS):

The lower left (LL) corner of the sampling grid is at grid point (IBSAMP, JBSAMP) of the MET. grid. The upper right (UR) corner of the sampling grid is at grid point (IESAMP, JESAMP) of the MET. grid. The sampling grid must be identical to or a subset of the computational grid. It may be a nested grid inside the computational grid. The grid spacing of the sampling grid is DGRIDKM/MESHDN.

Logical flag indicating if gridded
receptors are used (LSAMP) Default: T ! LSAMP = T !
(T=yes, F=no)

X index of LL corner (IBSAMP) No default ! IBSAMP = 1 !
(IBCOMP <= IBSAMP <= IECOMP)

Y index of LL corner (JBSAMP) No default ! JBSAMP = 1 !
(JBCOMP <= JBSAMP <= JECOMP)

X index of UR corner (IESAMP) No default ! IESAMP = 80 !
(IBCOMP <= IESAMP <= IECOMP)

Y index of UR corner (JESAMP) No default ! JESAMP = 80 !
(JBCOMP <= JESAMP <= JECOMP)

Nesting factor of the sampling
grid (MESHDN) Default: 1 ! MESHDN = 1 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(MESHDN is an integer ≥ 1)

!END!

INPUT GROUP: 5 -- Output Options

FILE	* DEFAULT VALUE	* VALUE THIS RUN
----	-----	-----
Concentrations (ICON)	1	! ICON = 1 !
Dry Fluxes (IDRY)	1	! IDRY = 0 !
Wet Fluxes (IWET)	1	! IWET = 0 !
2D Temperature (IT2D)	0	! IT2D = 0 !
2D Density (IRHO)	0	! IRHO = 0 !
Relative Humidity (IVIS)	1	! IVIS = 0 !
(relative humidity file is required for visibility analysis)		
Use data compression option in output file?		
(LCOMPRS)	Default: T	! LCOMPRS = T !

*

0 = Do not create file, 1 = create file

QA PLOT FILE OUTPUT OPTION:

Create a standard series of output files (e.g.
locations of sources, receptors, grids ...)
suitable for plotting?

(IQAPLOT)	Default: 1	! IQAPLOT = 1 !
0 = no		
1 = yes		

DIAGNOSTIC PUFF-TRACKING OUTPUT OPTION:

Puff locations and properties reported to
PFTRAK.DAT file for postprocessing?

(IPFTRAK)	Default: 0	! IPFTRAK = 0 !
0 = no		
1 = yes, update puff output at end of each timestep		
2 = yes, update puff output at end of each sampling step		

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

DIAGNOSTIC MASS FLUX OUTPUT OPTIONS:

Mass flux across specified boundaries
for selected species reported?

(IMFLX) Default: 0 ! IMFLX = 0 !

0 = no

1 = yes (FLUXBDY.DAT and MASSFLX.DAT filenames
are specified in Input Group 0)

Mass balance for each species
reported?

(IMBAL) Default: 0 ! IMBAL = 0 !

0 = no

1 = yes (MASSBAL.DAT filename is
specified in Input Group 0)

NUMERICAL RISE OUTPUT OPTION:

Create a file with plume properties for each rise
increment, for each model timestep?

This applies to sources modeled with numerical rise
and is limited to ONE source in the run.

(INRISE) Default: 0 ! INRISE = 0 !

0 = no

1 = yes (RISE.DAT filename is
specified in Input Group 0)

LINE PRINTER OUTPUT OPTIONS:

Print concentrations (ICPRT) Default: 0 ! ICPRT = 0 !

Print dry fluxes (IDPRT) Default: 0 ! IDPRT = 0 !

Print wet fluxes (IWPRT) Default: 0 ! IWPRT = 0 !

(0 = Do not print, 1 = Print)

Concentration print interval

(ICFRQ) in timesteps Default: 1 ! ICFRQ = 1 !

Dry flux print interval

(IDFRQ) in timesteps Default: 1 ! IDFRQ = 1 !

Wet flux print interval

(IWFRQ) in timesteps Default: 1 ! IWFRQ = 1 !

Units for Line Printer Output

(IPRTU) Default: 1 ! IPRTU = 3 !

for for

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

	Concentration	Deposition	
1 =	g/m**3	g/m**2/s	
2 =	mg/m**3	mg/m**2/s	
3 =	ug/m**3	ug/m**2/s	
4 =	ng/m**3	ng/m**2/s	
5 =	Odour Units		
6 =	TBq/m**3	TBq/m**2/s	TBq=terabecquerel
7 =	GBq/m**3	GBq/m**2/s	GBq=gigabecquerel
8 =	Bq/m**3	Bq/m**2/s	Bq=becquerel (disintegrations/s)

Messages tracking progress of run
written to the screen ?

(IMESG) Default: 2 ! IMESG = 2 !
0 = no
1 = yes (advection step, puff ID)
2 = yes (YYYYJJHH, # old puffs, # emitted puffs)

SPECIES (or GROUP for combined species) LIST FOR OUTPUT OPTIONS

```

      ---- CONCENTRATIONS ----  ----- DRY FLUXES -----  ----- WET FLUXES -----  -- MASS
FLUX --
SPECIES
/GROUP   PRINTED?  SAVED ON DISK?  PRINTED?  SAVED ON DISK?  PRINTED?  SAVED
ON DISK?  SAVED ON DISK?
-----
!   PM10 =  1,      1,      1,      0,      1,      0,      0 !

```

Note: Species BCON (for MBCON > 0) does not need to be saved on disk.

OPTIONS FOR PRINTING "DEBUG" QUANTITIES (much output)

Logical for debug output
(LDEBUG) Default: F ! LDEBUG = F !

First puff to track
(IPFDEB) Default: 1 ! IPFDEB = 1 !

Number of puffs to track
(NPFDEB) Default: 1 ! NPFDEB = 1000 !

Met. period to start output
(NN1) Default: 1 ! NN1 = 1 !

Met. period to end output

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(NN2) Default: 10 ! NN2 = 10 !

!END!

INPUT GROUP: 6a, 6b, & 6c -- Subgrid scale complex terrain inputs

Subgroup (6a)

Number of terrain features (NHILL) Default: 0 ! NHILL = 0 !

Number of special complex terrain
receptors (NCTREC) Default: 0 ! NCTREC = 0 !

Terrain and CTSR Receptor data for
CTSR hills input in CTDM format ?
(MHILL) No Default ! MHILL = 2 !

1 = Hill and Receptor data created
by CTDM processors & read from
HILL.DAT and HILLRCT.DAT files
2 = Hill data created by OPTHILL &
input below in Subgroup (6b);
Receptor data in Subgroup (6c)

Factor to convert horizontal dimensions Default: 1.0 ! XHILL2M = 1.0 !
to meters (MHILL=1)

Factor to convert vertical dimensions Default: 1.0 ! ZHILL2M = 1.0 !
to meters (MHILL=1)

X-origin of CTDM system relative to No Default ! XCTDMKM = 0.0 !
CALPUFF coordinate system, in Kilometers (MHILL=1)

Y-origin of CTDM system relative to No Default ! YCTDMKM = 0.0 !
CALPUFF coordinate system, in Kilometers (MHILL=1)

! END !

Subgroup (6b)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

1 **

HILL information

HILL AMAX2 NO.	XC (km)	YC (km)	THETAH (deg.)	ZGRID (m)	RELIEF (m)	EXPO 1 (m)	EXPO 2 (m)	SCALE 1 (m)	SCALE 2 (m)	AMAX1 (m)
----	----	----	-----	-----	-----	-----	-----	-----	-----	-----

Subgroup (6c)

COMPLEX TERRAIN RECEPTOR INFORMATION

XRCT (km)	YRCT (km)	ZRCT (m)	XHH
-----	-----	-----	----

1

Description of Complex Terrain Variables:

XC, YC = Coordinates of center of hill

THETAH = Orientation of major axis of hill (clockwise from North)

ZGRID = Height of the 0 of the grid above mean sea level

RELIEF = Height of the crest of the hill above the grid elevation

EXPO 1 = Hill-shape exponent for the major axis

EXPO 2 = Hill-shape exponent for the major axis

SCALE 1 = Horizontal length scale along the major axis

SCALE 2 = Horizontal length scale along the minor axis

AMAX = Maximum allowed axis length for the major axis

BMAX = Maximum allowed axis length for the major axis

XRCT, YRCT = Coordinates of the complex terrain receptors

ZRCT = Height of the ground (MSL) at the complex terrain Receptor

XHH = Hill number associated with each complex terrain receptor
(NOTE: MUST BE ENTERED AS A REAL NUMBER)

**

NOTE: DATA for each hill and CTSG receptor are treated as a separate input subgroup and therefore must end with an input group terminator.

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

INPUT GROUP: 7 -- Chemical parameters for dry deposition of gases

SPECIES	DIFFUSIVITY	ALPHA STAR	REACTIVITY	MESOPHYLL RESISTANCE	HENRY'S
LAW COEFFICIENT					
NAME	(cm**2/s)		(s/cm)	(dimensionless)	
-----	-----	-----	-----	-----	-----

* DRYGAS = *

!END!

INPUT GROUP: 8 -- Size parameters for dry deposition of particles

For SINGLE SPECIES, the mean and standard deviation are used to compute a deposition velocity for NINT (see group 9) size-ranges, and these are then averaged to obtain a mean deposition velocity.

For GROUPED SPECIES, the size distribution should be explicitly specified (by the 'species' in the group), and the standard deviation for each should be entered as 0. The model will then use the deposition velocity for the stated mean diameter.

SPECIES	GEOMETRIC MASS MEAN	GEOMETRIC STANDARD
NAME	DIAMETER	DEVIATION
	(microns)	(microns)
-----	-----	-----

* DRYPART = *

!END!

INPUT GROUP: 9 -- Miscellaneous dry deposition parameters

Reference cuticle resistance (s/cm)
(RCUTR) Default: 30 ! RCUTR = 30 !
Reference ground resistance (s/cm)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(RGR) Default: 10 ! RGR = 10 !
 Reference pollutant reactivity
 (REACTR) Default: 8 ! REACTR = 8 !

Number of particle-size intervals used to
 evaluate effective particle deposition velocity
 (NINT) Default: 9 ! NINT = 9 !

Vegetation state in unirrigated areas
 (IVEG) Default: 1 ! IVEG = 1 !
 IVEG=1 for active and unstressed vegetation
 IVEG=2 for active and stressed vegetation
 IVEG=3 for inactive vegetation

!END!

 INPUT GROUP: 10 -- Wet Deposition Parameters

Scavenging Coefficient -- Units: (sec)**(-1)

Pollutant	Liquid Precip.	Frozen Precip.
-----	-----	-----

* WETDEPOS = *

!END!

 INPUT GROUP: 11a, 11b -- Chemistry Parameters

 Subgroup (11a)

Several parameters are needed for one or more of the chemical transformation mechanisms. Those used for each mechanism are:

		S					
M			B	R	O		
A	B	R	R	R	C	H	4 B N

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – Risposte alla richiesta di integrazioni e di chiarimenti

```

      B V C N N N M K - - C O D
      C M G K I I I H H I I K F V E
      M K N N N T T T 2 2 S S P R C C
      O O H H H E E E O O R R M A N A
Mechanism (MCHEM)   Z 3 3 3 3 1 2 3 2 2 P P F C X Y
-----

```

```

0 None      . . . . .
1 MESOPUFF II   X X . . X X X X . . . . .
2 User Rates   . . . . .
3 RIVAD        X X . . X . . . . .
4 SOA          X X . . . . . X X X .
5 Radioactive Decay . . . . . X
6 RIVAD/ISORRPIA  X X X X X X . . X X X X . . .
7 RIVAD/ISORRPIA/SOA X X X X X X . . X X X X X X .

```

Ozone data input option (MOZ) Default: 1 ! MOZ = 1 !
(Used only if MCHEM = 1,3,4,6 or 7)

0 = use a monthly background ozone value
1 = read hourly ozone concentrations from
the OZONE.DAT data file

Monthly ozone concentrations in ppb (BCKO3)
(Used only if MCHEM = 1,3,4,6, or 7 and either
MOZ = 0, or
MOZ = 1 and all hourly O3 data missing)
Default: 12*80.

! BCKO3 = 80.00, 80.00, 80.00, 80.00, 80.00, 80.00, 80.00, 80.00, 80.00, 80.00, 80.00, 80.00
!

Ammonia data option (MNH3) Default: 0 ! MNH3 = 0 !
(Used only if MCHEM = 6 or 7)

0 = use monthly background ammonia values (BCKNH3) - no vertical variation
1 = read monthly background ammonia values for each layer from
the NH3Z.DAT data file

Ammonia vertical averaging option (MAVGNH3)
(Used only if MCHEM = 6 or 7, and MNH3 = 1)
0 = use NH3 at puff center height (no averaging is done)
1 = average NH3 values over vertical extent of puff
Default: 1 ! MAVGNH3 = 1 !

Monthly ammonia concentrations in ppb (BCKNH3)
(Used only if MCHEM = 1 or 3, or
if MCHEM = 6 or 7, and MNH3 = 0)
Default: 12*10.

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).
Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

! BCKNH3 = 10.00, 10.00, 10.00, 10.00, 10.00, 10.00, 10.00, 10.00, 10.00, 10.00, 10.00, 10.00 !

Nighttime SO2 loss rate in %/hour (RNITE1)

(Used only if MCHEM = 1, 6 or 7)

This rate is used only at night for MCHEM=1
and is added to the computed rate both day
and night for MCHEM=6,7 (heterogeneous reactions)

Default: 0.2 ! RNITE1 = 0.2 !

Nighttime NOx loss rate in %/hour (RNITE2)

(Used only if MCHEM = 1)

Default: 2.0 ! RNITE2 = 2 !

Nighttime HNO3 formation rate in %/hour (RNITE3)

(Used only if MCHEM = 1)

Default: 2.0 ! RNITE3 = 2 !

H2O2 data input option (MH2O2) Default: 1 ! MH2O2 = 1 !

(Used only if MCHEM = 6 or 7, and MAQCHEM = 1)

0 = use a monthly background H2O2 value

1 = read hourly H2O2 concentrations from
the H2O2.DAT data file

Monthly H2O2 concentrations in ppb (BCKH2O2)

(Used only if MQACHEM = 1 and either

MH2O2 = 0 or

MH2O2 = 1 and all hourly H2O2 data missing)

Default: 12*1.

! BCKH2O2 = 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00 !

--- Data for ISORROPIA Option

(used only if MCHEM = 6 or 7)

Minimum relative humidity used in ISORROPIA computations (RH_ISRP)

Default: 50. ! RH_ISRP = 50.0 !

Units: %

Minimum SO4 used in ISORROPIA computations (SO4_ISRP)

Default: 0.4 ! SO4_ISRP = 0.4 !

Units: ug/m3

--- Data for SECONDARY ORGANIC AEROSOL (SOA) Options

(used only if MCHEM = 4 or 7)

The MCHEM = 4 SOA module uses monthly values of:

Fine particulate concentration in ug/m³ (BCKPMF)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Organic fraction of fine particulate (OFRAC)
 VOC / NOX ratio (after reaction) (VCNX)

The MCHEM = 7 SOA module uses monthly values of:

Fine particulate concentration in $\mu\text{g}/\text{m}^3$ (BCKPMF)
 Organic fraction of fine particulate (OFRAC)

These characterize the air mass when computing
 the formation of SOA from VOC emissions.

Typical values for several distinct air mass types are:

Month	1	2	3	4	5	6	7	8	9	10	11	12
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec

Clean Continental

BCKPMF	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.	1.
OFRAC	.15	.15	.20	.20	.20	.20	.20	.20	.20	.20	.20	.15
VCNX	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.

Clean Marine (surface)

BCKPMF	.5	.5	.5	.5	.5	.5	.5	.5	.5	.5	.5	.5
OFRAC	.25	.25	.30	.30	.30	.30	.30	.30	.30	.30	.30	.25
VCNX	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.	50.

Urban - low biogenic (controls present)

BCKPMF	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.	30.
OFRAC	.20	.20	.25	.25	.25	.25	.25	.25	.25	.20	.20	.20
VCNX	4.	4.	4.	4.	4.	4.	4.	4.	4.	4.	4.	4.

Urban - high biogenic (controls present)

BCKPMF	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.	60.
OFRAC	.25	.25	.30	.30	.30	.55	.55	.55	.35	.35	.35	.25
VCNX	15.	15.	15.	15.	15.	15.	15.	15.	15.	15.	15.	15.

Regional Plume

BCKPMF	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.	20.
OFRAC	.20	.20	.25	.35	.25	.40	.40	.40	.30	.30	.30	.20
VCNX	15.	15.	15.	15.	15.	15.	15.	15.	15.	15.	15.	15.

Urban - no controls present

BCKPMF	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
OFRAC	.30	.30	.35	.35	.35	.55	.55	.55	.35	.35	.35	.30
VCNX	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.	2.

Default: Clean Continental

! BCKPMF = 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00, 1.00 !

! OFRAC = 0.15, 0.15, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.20, 0.15 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

! VCNX = 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00, 50.00
!

--- End Data for SECONDARY ORGANIC AEROSOL (SOA) Options

Number of half-life decay specification blocks provided in Subgroup 11b

(Used only if MCHEM = 5)

(NDECAY) Default: 0 ! NDECAY = 0 !

!END!

Subgroup (11b)

Each species modeled may be assigned a decay half-life (sec), and the associated mass lost may be assigned to one or more other modeled species using a mass yield factor. This information is used only for MCHEM=5.

Provide NDECAY blocks assigning the half-life for a parent species and mass yield factors for each child species (if any) produced by the decay.

Set HALF_LIFE=0.0 for NO decay (infinite half-life).

	a	b
SPECIES	Half-Life	Mass Yield
NAME	(sec)	Factor
-----	-----	-----

* SPECHLLIST = *

a
Specify a half life that is greater than or equal to zero for 1 parent species in each block, and set the yield factor for this species to -1

b
Specify a yield factor that is greater than or equal to zero for 1 or more child species in each block, and set the half-life for each of these species to -1

NOTE: Assignments in each block are treated as a separate input

subgroup and therefore must end with an input group terminator.

If NDECAY=0, no assignments and input group terminators should appear.

INPUT GROUP: 12 -- Misc. Dispersion and Computational Parameters

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – Risposte alla richiesta di integrazioni e di chiarimenti

 Horizontal size of puff (m) beyond which
 time-dependent dispersion equations (Heffter)
 are used to determine sigma-y and
 sigma-z (SYTDEP) Default: 550. ! SYTDEP = 550 !

Switch for using Heffter equation for sigma z
 as above (0 = Not use Heffter; 1 = use Heffter
 (MHFTSZ) Default: 0 ! MHFTSZ = 0 !

Stability class used to determine plume
 growth rates for puffs above the boundary
 layer (JSUP) Default: 5 ! JSUP = 5 !

Vertical dispersion constant for stable
 conditions (k1 in Eqn. 2.7-3) (CONK1) Default: 0.01 ! CONK1 = 0.01 !

Vertical dispersion constant for neutral/
 unstable conditions (k2 in Eqn. 2.7-4)
 (CONK2) Default: 0.1 ! CONK2 = 0.1 !

Factor for determining Transition-point from
 Schulman-Scire to Huber-Snyder Building Downwash
 scheme (SS used for $H_s < H_b + TBD * HL$)
 (TBD) Default: 0.5 ! TBD = 0.5 !
 TBD < 0 ==> always use Huber-Snyder
 TBD = 1.5 ==> always use Schulman-Scire
 TBD = 0.5 ==> ISC Transition-point

Range of land use categories for which
 urban dispersion is assumed
 (IURB1, IURB2) Default: 10 ! IURB1 = 10 !
 19 ! IURB2 = 19 !

Site characterization parameters for single-point Met data files -----
 (needed for METFM = 2,3,4,5)

Land use category for modeling domain
 (ILANDUIN) Default: 20 ! ILANDUIN = 20 !

Roughness length (m) for modeling domain
 (ZOIN) Default: 0.25 ! ZOIN = .25 !

Leaf area index for modeling domain
 (XLAIIN) Default: 3.0 ! XLAIIN = 3.0 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).
 Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Elevation above sea level (m)
(ELEVIN) Default: 0.0 ! ELEVIN = .0 !

Latitude (degrees) for met location
(XLATIN) Default: -999. ! XLATIN = -999.0 !

Longitude (degrees) for met location
(XLONIN) Default: -999. ! XLONIN = -999.0 !

Specialized information for interpreting single-point Met data files -----

Anemometer height (m) (Used only if METFM = 2,3)
(ANEMHT) Default: 10. ! ANEMHT = 10.0 !

Form of lateral turbulence data in PROFILE.DAT file
(Used only if METFM = 4,5 or MTURBVW = 1 or 3)
(ISIGMAV) Default: 1 ! ISIGMAV = 1 !
0 = read sigma-theta
1 = read sigma-v

Choice of mixing heights (Used only if METFM = 4)
(IMIXCTDM) Default: 0 ! IMIXCTDM = 0 !
0 = read PREDICTED mixing heights
1 = read OBSERVED mixing heights

Maximum length of a slug (met. grid units)
(XMXLEN) Default: 1.0 ! XMXLEN = 1 !

Maximum travel distance of a puff/slug (in
grid units) during one sampling step
(XSAMLEN) Default: 1.0 ! XSAMLEN = 1 !

Maximum Number of slugs/puffs release from
one source during one time step
(MXNEW) Default: 99 ! MXNEW = 99 !

Maximum Number of sampling steps for
one puff/slug during one time step
(MXSAM) Default: 99 ! MXSAM = 99 !

Number of iterations used when computing
the transport wind for a sampling step
that includes gradual rise (for CALMET
and PROFILE winds)
(NCOUNT) Default: 2 ! NCOUNT = 2 !

Minimum sigma y for a new puff/slug (m)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(SYMIN) Default: 1.0 ! SYMIN = 1 !

Minimum sigma z for a new puff/slug (m)

(SZMIN) Default: 1.0 ! SZMIN = 1 !

Maximum sigma z (m) allowed to avoid numerical problem in calculating virtual time or distance. Cap should be large enough to have no influence on normal events. Enter a negative cap to disable.

(SZCAP_M) Default: 5.0e06 ! SZCAP_M = 5000000 !

Default minimum turbulence velocities sigma-v and sigma-w for each stability class over land and over water (m/s)
(SVMIN(12) and SWMIN(12))

	----- LAND -----						----- WATER -----					
Stab Class :	A	B	C	D	E	F	A	B	C	D	E	F
Default SVMIN :	.50	.50	.50	.50	.50	.50	.37	.37	.37	.37	.37	.37
Default SWMIN :	.20	.12	.08	.06	.03	.016	.20	.12	.08	.06	.03	.016

! SVMIN = 0.5, 0.5, 0.5, 0.5, 0.5, 0.5, 0.37, 0.37, 0.37, 0.37, 0.37, 0.37 !

! SWMIN = 0.2, 0.12, 0.08, 0.06, 0.03, 0.016, 0.2, 0.12, 0.08, 0.06, 0.03, 0.016 !

Divergence criterion for dw/dz across puff used to initiate adjustment for horizontal convergence (1/s)

Partial adjustment starts at CDIV(1), and full adjustment is reached at CDIV(2)

(CDIV(2)) Default: 0.0,0.0 ! CDIV = 0, 0 !

Search radius (number of cells) for nearest land and water cells used in the subgrid

TIBL module

(NLUTIBL) Default: 4 ! NLUTIBL = 4 !

Minimum wind speed (m/s) allowed for non-calm conditions. Also used as minimum speed returned when using power-law extrapolation toward surface

(WSCALM) Default: 0.5 ! WSCALM = 0.5 !

Maximum mixing height (m)

(XMAXZI) Default: 3000. ! XMAXZI = 3000 !

Minimum mixing height (m)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(XMINZI) Default: 50. ! XMINZI = 50 !

Temperatures (K) used for defining upper bound of categories for emissions scale-factors

11 upper bounds (K) are entered; the 12th class has no upper limit

(TKCAT(11))

Default : 265., 270., 275., 280., 285., 290., 295., 300., 305., 310., 315. (315.+)

<< << << << << <Temperature Class : 1 2 3 4 5 6 7

8 9 10 11 (12)

! TKCAT = 265., 270., 275., 280., 285., 290., 295., 300., 305., 310., 315. !

Default wind speed profile power-law

exponents for stabilities 1-6

(PLX0(6))

Default : ISC RURAL values

ISC RURAL : .07, .07, .10, .15, .35, .55

ISC URBAN : .15, .15, .20, .25, .30, .30

Stability Class : A B C D E F

--- --- --- --- --- ---

! PLX0 = 0.07, 0.07, 0.1, 0.15, 0.35, 0.55 !

Default potential temperature gradient

for stable classes E, F (degK/m)

(PTG0(2))

Default: 0.020, 0.035

! PTG0 = 0.02, 0.035 !

Default plume path coefficients for

each stability class (used when option

for partial plume height terrain adjustment

is selected -- MCTADJ=3)

(PPC(6))

Stability Class : A B C D E F

Default PPC : .50, .50, .50, .50, .35, .35

--- --- --- --- --- ---

! PPC = 0.5, 0.5, 0.5, 0.5, 0.35, 0.35 !

Slug-to-puff transition criterion factor

equal to sigma-y/length of slug

(SL2PF)

Default: 10. ! SL2PF = 10 !

Receptor-specific puff/slug properties (e.g., sigmas and height above ground at the time when the trajectory is nearest the receptor) may be extrapolated forward or backward in time along the current step using the current dispersion, for receptors that lie upwind of the puff/slug position at the start of a step, or downwind at the end of a step.

Specify the upwind/downwind extrapolation zone in sigma-y units.

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Using FCLIP=1.0 clips the the upwind zone at one sigma-y at the start of the step and the downwind zone at one sigma-y at the end of the step. This is consistent with the sampling done in CALPUFF versions through v6.42 prior to the introduction of the FCLIP option.

The default is No Extrapolation, FCLIP=0.0.

(FCLIP) Default: 0.0 ! FCLIP = 0 !

Puff-splitting control variables -----

VERTICAL SPLIT

Number of puffs that result every time a puff is split - nsplit=2 means that 1 puff splits into 2

(NSPLIT) Default: 3 ! NSPLIT = 3 !

Time(s) of a day when split puffs are eligible to be split once again; this is typically set once per day, around sunset before nocturnal shear develops.

24 values: 0 is midnight (00:00) and 23 is 11 PM (23:00)

0=do not re-split 1=eligible for re-split

(IRESPLIT(24)) Default: Hour 17 = 1

! IRESPLIT = 0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0 !

Split is allowed only if last hour's mixing

height (m) exceeds a minimum value

(ZISPLIT) Default: 100. ! ZISPLIT = 100 !

Split is allowed only if ratio of last hour's

mixing ht to the maximum mixing ht experienced

by the puff is less than a maximum value (this

postpones a split until a nocturnal layer develops)

(ROLDMAX) Default: 0.25 ! ROLDMAX = 0.25 !

HORIZONTAL SPLIT

Number of puffs that result every time a puff

is split - nsplith=5 means that 1 puff splits

into 5

(NSPLITH) Default: 5 ! NSPLITH = 5 !

Minimum sigma-y (Grid Cells Units) of puff

before it may be split

(SYSPLITH) Default: 1.0 ! SYSPLITH = 1 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Minimum puff elongation rate (SYSPLITH/hr) due to
wind shear, before it may be split
(SHSPLITH) Default: 2. ! SHSPLITH = 2 !

Minimum concentration (g/m³) of each
species in puff before it may be split
Enter array of NSPEC values; if a single value is
entered, it will be used for ALL species
(CNSPLITH) Default: 1.0E-07 ! CNSPLITH = 0 !

Integration control variables -----

Fractional convergence criterion for numerical SLUG
sampling integration
(EPSSLUG) Default: 1.0e-04 ! EPSSLUG = 0.0001 !

Fractional convergence criterion for numerical AREA
source integration
(EPSAREA) Default: 1.0e-06 ! EPSAREA = 1E-006 !

Trajectory step-length (m) used for numerical rise
integration
(DSRISE) Default: 1.0 ! DSRIS = 1.0 !

Boundary Condition (BC) Puff control variables -----

Minimum height (m) to which BC puffs are mixed as they are emitted
(MBCON=2 ONLY). Actual height is reset to the current mixing height
at the release point if greater than this minimum.
(HTMINBC) Default: 500. ! HTMINBC = 500 !

Search radius (km) about a receptor for sampling nearest BC puff.
BC puffs are typically emitted with a spacing of one grid cell
length, so the search radius should be greater than DGRIDKM.
(RSAMPBC) Default: 10. ! RSAMPBC = 10 !

Near-Surface depletion adjustment to concentration profile used when
sampling BC puffs?
(MDEPBC) Default: 1 ! MDEPBC = 1 !
0 = Concentration is NOT adjusted for depletion
1 = Adjust Concentration for depletion

!END!

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).
Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

INPUT GROUPS: 13a, 13b, 13c, 13d -- Point source parameters

Subgroup (13a)

Number of point sources with
parameters provided below (NPT1) No default ! NPT1 = 6 !

Units used for point source
emissions below (IPTU) Default: 1 ! IPTU = 2 !

- 1 = g/s
- 2 = kg/hr
- 3 = lb/hr
- 4 = tons/yr
- 5 = Odour Unit * m**3/s (vol. flux of odour compound)
- 6 = Odour Unit * m**3/min
- 7 = metric tons/yr
- 8 = Bq/s (Bq = becquerel = disintegrations/s)
- 9 = GBq/yr

Number of source-species
combinations with variable
emissions scaling factors
provided below in (13d) (NSPT1) Default: 0 ! NSPT1 = 0 !

Number of point sources with
variable emission parameters
provided in external file (NPT2) No default ! NPT2 = 0 !

(If NPT2 > 0, these point
source emissions are read from
the file: PTEMARB.DAT)

!END!

Subgroup (13b)

a
POINT SOURCE: CONSTANT DATA

b c
Source X Y Stack Base Stack Exit Exit Bldg. Emission

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

No.	Coordinate (km)	Coordinate (km)	Height (m)	Elevation (m)	Diameter (m)	Vel. (m/s)	Temp. (deg. K)	Dwash	Rates
-----	--------------------	--------------------	---------------	------------------	-----------------	---------------	-------------------	-------	-------

```

-----
1 ! SRCNAM = E3 !
1 ! X = 629.628, 4770.414, 19.0, 119.42, 0.553, 15.5, 286.5, 0.0, 0.1 !
1 ! ZPLTFM = 0.0 !
1 ! FMFAC = 1.0 ! !END!

2 ! SRCNAM = E4 !
2 ! X = 629.612, 4770.394, 19.0, 119.24, 0.553, 10.8, 285.95, 0.0, 0.1 !
2 ! ZPLTFM = 0.0 !
2 ! FMFAC = 1.0 ! !END!

3 ! SRCNAM = E5 !
3 ! X = 629.606, 4770.405, 25.0, 117.08, 0.18, 12.2, 285.65, 0.0, 0.1 !
3 ! ZPLTFM = 0.0 !
3 ! FMFAC = 1.0 ! !END!

4 ! SRCNAM = E6 !
4 ! X = 629.594, 4770.390, 25.0, 114.98, 0.18, 12.2, 287.15, 0.0, 0.1 !
4 ! ZPLTFM = 0.0 !
4 ! FMFAC = 1.0 ! !END!

5 ! SRCNAM = E7 !
5 ! X = 629.648, 4770.376, 16.0, 122.5, 0.648, 5.6, 285.15, 0.0, 0.1 !
5 ! ZPLTFM = 0.0 !
5 ! FMFAC = 1.0 ! !END!

6 ! SRCNAM = E8 !
6 ! X = 629.621, 4770.368, 17.0, 120.85, 0.798, 7.2, 286.80, 0.0, 0.1 !
6 ! ZPLTFM = 0.0 !
6 ! FMFAC = 1.0 ! !END!
-----

```

a

Data for each source are treated as a separate input subgroup and therefore must end with an input group terminator.

SRCNAM is a 12-character name for a source
(No default)

X is an array holding the source data listed by the column headings
(No default)

SIGYZI is an array holding the initial sigma-y and sigma-z (m)
(Default: 0.,0.)

FMFAC is a vertical momentum flux factor (0. or 1.0) used to represent

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

the effect of rain-caps or other physical configurations that reduce momentum rise associated with the actual exit velocity.
(Default: 1.0 -- full momentum used)

ZPLTFM is the platform height (m) for sources influenced by an isolated structure that has a significant open area between the surface and the bulk of the structure, such as an offshore oil platform. The Base Elevation is that of the surface (ground or ocean), and the Stack Height is the release height above the Base (not above the platform). Building heights entered in Subgroup 13c must be those of the buildings on the platform, measured from the platform deck. ZPLTFM is used only with MBDW=1 (ISC downwash method) for sources with building downwash.
(Default: 0.0)

b

0. = No building downwash modeled

1. = Downwash modeled for buildings resting on the surface

2. = Downwash modeled for buildings raised above the surface (ZPLTFM > 0.)

NOTE: must be entered as a REAL number (i.e., with decimal point)

c

An emission rate must be entered for every pollutant modeled.

Enter emission rate of zero for secondary pollutants that are modeled, but not emitted. Units are specified by IPTU (e.g. 1 for g/s).

Subgroup (13c)

BUILDING DIMENSION DATA FOR SOURCES SUBJECT TO DOWNWASH

Source

a

No. Effective building height, width, length and X/Y offset (in meters) every 10 degrees. LENGTH, XBADJ, and YBADJ are only needed for MBDW=2 (PRIME downwash option)

a

Building height, width, length, and X/Y offset from the source are treated as a separate input subgroup for each source and therefore must end with an input group terminator. The X/Y offset is the position, relative to the stack, of the center of the upwind face of the projected building, with the

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

x-axis pointing along the flow direction.

Subgroup (13d)

a
POINT SOURCE: EMISSION-RATE SCALING FACTORS

Use this subgroup to identify temporal variations in the emission rates given in 13b. Factors assigned multiply the rates in 13b. Skip sources here that have constant emissions. For more elaborate variation in source parameters, use PTEMARB.DAT and NPT2 > 0.

Sets of emission-rate scale factors are defined in Input Group 19, and are referenced by the FACTORNAME. Provide NSPT1 lines that identify the emission-rate scale factor table for each source-species combination that uses the scaling option. Note that a scale-factor table can be used with more than one source-species combination so a FACTORNAME can be repeated.

Source- Species No.	Source Name b (SRCNAM)	Species Name c (CSPEC)	Scale-factor table Name d (FACTORNAME)
-----	-----	-----	-----

-
- a
Assignment for each source-specie is treated as a separate input subgroup and therefore must end with an input group terminator.
- b
Source name must match one of the SRCNAM names defined in Input Group 13b
- c
Species name must match one of the CSPEC names of emitted species defined in Input Group 3
- d
Scale-factor name must match one of the FACTORNAME names defined in Input Group 19
-

INPUT GROUPS: 14a, 14b, 14c, 14d -- Area source parameters

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Subgroup (14a)

Number of polygon area sources with
parameters specified below (NAR1) No default ! NAR1 = 83 !

Units used for area source
emissions below (IARU) Default: 1 ! IARU = 2 !

- 1 = g/m**2/s
- 2 = kg/m**2/hr
- 3 = lb/m**2/hr
- 4 = tons/m**2/yr
- 5 = Odour Unit * m/s (vol. flux/m**2 of odour compound)
- 6 = Odour Unit * m/min
- 7 = metric tons/m**2/yr
- 8 = Bq/m**2/s (Bq = becquerel = disintegrations/s)
- 9 = GBq/m**2/yr

Number of source-species
combinations with variable
emissions scaling factors
provided below in (14d) (NSAR1) Default: 0 ! NSAR1 = 83 !

Number of buoyant polygon area sources
with variable location and emission
parameters (NAR2) No default ! NAR2 = 0 !
(If NAR2 > 0, ALL parameter data for
these sources are read from the file: BAEMARB.DAT)

!END!

Subgroup (14b)

a

AREA SOURCE: CONSTANT DATA

b

Source	Effect.	Base	Initial	Emission
No.	Height	Elevation	Sigma z	Rates
	(m)	(m)	(m)	

1 ! SRCNAM = SRC_3_1 !

1 ! X = 2.0, 201.37, 0.0, 6.52E-005 !

!END!

2 ! SRCNAM = SRC_3_2 !

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

2 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
3 ! SRCNAM = SRC_3_3 !
3 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
4 ! SRCNAM = SRC_3_4 !
4 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
5 ! SRCNAM = SRC_3_5 !
5 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
6 ! SRCNAM = SRC_3_6 !
6 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
7 ! SRCNAM = SRC_3_7 !
7 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
8 ! SRCNAM = SRC_3_8 !
8 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
9 ! SRCNAM = SRC_3_9 !
9 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
10 ! SRCNAM = SRC_3_10 !
10 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
11 ! SRCNAM = SRC_3_11 !
11 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
12 ! SRCNAM = SRC_3_12 !
12 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
13 ! SRCNAM = SRC_3_13 !
13 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
14 ! SRCNAM = SRC_3_14 !
14 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
15 ! SRCNAM = SRC_3_15 !
15 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
16 ! SRCNAM = SRC_3_16 !
16 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
17 ! SRCNAM = SRC_3_17 !
17 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

18 ! SRCNAM = SRC_3_18 !
18 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
19 ! SRCNAM = SRC_3_19 !
19 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
20 ! SRCNAM = SRC_3_20 !
20 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
21 ! SRCNAM = SRC_3_21 !
21 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
22 ! SRCNAM = SRC_3_22 !
22 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
23 ! SRCNAM = SRC_3_23 !
23 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
24 ! SRCNAM = SRC_3_24 !
24 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
25 ! SRCNAM = SRC_3_25 !
25 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
26 ! SRCNAM = SRC_3_26 !
26 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
27 ! SRCNAM = SRC_3_27 !
27 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
28 ! SRCNAM = SRC_3_28 !
28 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
29 ! SRCNAM = SRC_3_29 !
29 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
30 ! SRCNAM = SRC_3_30 !
30 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
31 ! SRCNAM = SRC_3_31 !
31 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
32 ! SRCNAM = SRC_3_32 !
32 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
33 ! SRCNAM = SRC_3_33 !
33 ! X =      2.0, 201.37,      0.0, 6.52E-005 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

!END!
34 ! SRCNAM = SRC_3_34 !
34 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
35 ! SRCNAM = SRC_3_35 !
35 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
36 ! SRCNAM = SRC_3_36 !
36 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
37 ! SRCNAM = SRC_3_37 !
37 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
38 ! SRCNAM = SRC_3_38 !
38 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
39 ! SRCNAM = SRC_3_39 !
39 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
40 ! SRCNAM = SRC_3_40 !
40 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
41 ! SRCNAM = SRC_3_41 !
41 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
42 ! SRCNAM = SRC_3_42 !
42 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
43 ! SRCNAM = SRC_3_43 !
43 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
44 ! SRCNAM = SRC_3_44 !
44 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
45 ! SRCNAM = SRC_3_45 !
45 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
46 ! SRCNAM = SRC_3_46 !
46 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
47 ! SRCNAM = SRC_3_47 !
47 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
48 ! SRCNAM = SRC_3_48 !
48 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
49 ! SRCNAM = SRC_3_49 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

49 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
50 ! SRCNAM = SRC_3_50 !
50 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
51 ! SRCNAM = SRC_3_51 !
51 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
52 ! SRCNAM = SRC_3_52 !
52 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
53 ! SRCNAM = SRC_3_53 !
53 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
54 ! SRCNAM = SRC_3_54 !
54 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
55 ! SRCNAM = SRC_3_55 !
55 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
56 ! SRCNAM = SRC_3_56 !
56 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
57 ! SRCNAM = SRC_3_57 !
57 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
58 ! SRCNAM = SRC_3_58 !
58 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
59 ! SRCNAM = SRC_3_59 !
59 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
60 ! SRCNAM = SRC_3_60 !
60 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
61 ! SRCNAM = SRC_3_61 !
61 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
62 ! SRCNAM = SRC_3_62 !
62 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
63 ! SRCNAM = SRC_3_63 !
63 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
64 ! SRCNAM = SRC_3_64 !
64 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

65 ! SRCNAM = SRC_3_65 !
65 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
66 ! SRCNAM = SRC_3_66 !
66 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
67 ! SRCNAM = SRC_3_67 !
67 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
68 ! SRCNAM = SRC_3_68 !
68 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
69 ! SRCNAM = SRC_3_69 !
69 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
70 ! SRCNAM = SRC_3_70 !
70 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
71 ! SRCNAM = SRC_3_71 !
71 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
72 ! SRCNAM = SRC_3_72 !
72 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
73 ! SRCNAM = SRC_3_73 !
73 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
74 ! SRCNAM = SRC_3_74 !
74 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
75 ! SRCNAM = SRC_3_75 !
75 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
76 ! SRCNAM = SRC_3_76 !
76 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
77 ! SRCNAM = SRC_3_77 !
77 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
78 ! SRCNAM = SRC_3_78 !
78 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
79 ! SRCNAM = SRC_3_79 !
79 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
80 ! SRCNAM = SRC_3_80 !
80 ! X =      2.0, 201.37,      0.0, 6.52E-005 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

!END!
81 ! SRCNAM = SRC_3_81 !
81 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
82 ! SRCNAM = SRC_3_82 !
82 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!
83 ! SRCNAM = SRC_3_83 !
83 ! X =      2.0, 201.37,      0.0, 6.52E-005 !
!END!

```

a

Data for each source are treated as a separate input subgroup and therefore must end with an input group terminator.

b

An emission rate must be entered for every pollutant modeled. Enter emission rate of zero for secondary pollutants that are modeled, but not emitted. Units are specified by IARU (e.g. 1 for g/m**2/s).

Subgroup (14c)

COORDINATES (km) FOR EACH VERTEX(4) OF EACH POLYGON

Source	a
No.	Ordered list of X followed by list of Y, grouped by source

```

1 ! SRCNAM = SRC_3_1 !
1 ! XVERT = 629.7067, 629.7178, 629.729, 629.7161 !
1 ! YVERT = 4770.0179, 4770.0168, 4770.0156, 4770.0171 !
!END!
2 ! SRCNAM = SRC_3_2 !
2 ! XVERT = 629.3876, 629.3879, 629.3883, 629.3876 !
2 ! YVERT = 4770.312, 4770.3188, 4770.3256, 4770.3188 !
!END!
3 ! SRCNAM = SRC_3_3 !
3 ! XVERT = 629.6331, 629.6292, 629.6252, 629.6312 !
3 ! YVERT = 4770.2066, 4770.1966, 4770.1865, 4770.1998 !
!END!
4 ! SRCNAM = SRC_3_4 !
4 ! XVERT = 629.3936, 629.3982, 629.4027, 629.397 !
4 ! YVERT = 4770.3332, 4770.3351, 4770.337, 4770.3351 !
!END!

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

5 ! SRCNAM = SRC_3_5 !
5 ! XVERT = 629.3807, 629.3574, 629.3341, 629.3516 !
5 ! YVERT = 4769.8993, 4769.912, 4769.9247, 4769.9122 !
!END!
6 ! SRCNAM = SRC_3_6 !
6 ! XVERT = 629.5274, 629.5308, 629.5342, 629.5312 !
6 ! YVERT = 4770.323, 4770.323, 4770.323, 4770.3234 !
!END!
7 ! SRCNAM = SRC_3_7 !
7 ! XVERT = 629.7737, 629.542, 629.3103, 629.4728 !
7 ! YVERT = 4769.9652, 4769.9493, 4769.9334, 4769.9182 !
!END!
8 ! SRCNAM = SRC_3_8 !
8 ! XVERT = 629.6532, 629.6654, 629.6775, 629.6646 !
8 ! YVERT = 4770.298, 4770.2921, 4770.2862, 4770.2942 !
!END!
9 ! SRCNAM = SRC_3_9 !
9 ! XVERT = 629.5342, 629.5412, 629.5483, 629.5395 !
9 ! YVERT = 4770.323, 4770.322, 4770.3211, 4770.3234 !
!END!
10 ! SRCNAM = SRC_3_10 !
10 ! XVERT = 629.7643, 629.7537, 629.743, 629.7537 !
10 ! YVERT = 4769.9296, 4769.9254, 4769.9213, 4769.9235 !
!END!
11 ! SRCNAM = SRC_3_11 !
11 ! XVERT = 629.7502, 629.755, 629.7597, 629.7544 !
11 ! YVERT = 4770.0266, 4770.0304, 4770.0342, 4770.0312 !
!END!
12 ! SRCNAM = SRC_3_12 !
12 ! XVERT = 629.2985, 629.3053, 629.3122, 629.3057 !
12 ! YVERT = 4770.0937, 4770.1017, 4770.1096, 4770.1047 !
!END!
13 ! SRCNAM = SRC_3_13 !
13 ! XVERT = 629.5483, 629.5682, 629.588, 629.5661 !
13 ! YVERT = 4770.3211, 4770.3126, 4770.304, 4770.3173 !
!END!
14 ! SRCNAM = SRC_3_14 !
14 ! XVERT = 629.3103, 629.3421, 629.3739, 629.3341 !
14 ! YVERT = 4769.9334, 4770.0797, 4770.226, 4770.1649 !
!END!
15 ! SRCNAM = SRC_3_15 !
15 ! XVERT = 629.3103, 629.2824, 629.2546, 629.2485 !
15 ! YVERT = 4769.9334, 4769.9931, 4770.0528, 4770.0357 !
!END!
16 ! SRCNAM = SRC_3_16 !
16 ! XVERT = 629.6396, 629.647, 629.6544, 629.6441 !
16 ! YVERT = 4770.0293, 4770.0312, 4770.0331, 4770.0319 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**


```

!END!
17 ! SRCNAM = SRC_3_17 !
17 ! XVERT = 629.3171, 629.3256, 629.3341, 629.3194 !
17 ! YVERT = 4770.121, 4770.143, 4770.1649, 4770.1392 !
!END!
18 ! SRCNAM = SRC_3_18 !
18 ! XVERT = 629.4171, 629.4257, 629.4342, 629.427 !
18 ! YVERT = 4770.334, 4770.3324, 4770.3309, 4770.334 !
!END!
19 ! SRCNAM = SRC_3_19 !
19 ! XVERT = 629.6252, 629.6148, 629.6043, 629.6093 !
19 ! YVERT = 4770.1865, 4770.1822, 4770.1778, 4770.1771 !
!END!
20 ! SRCNAM = SRC_3_20 !
20 ! XVERT = 629.6381, 629.6388, 629.6396, 629.6434 !
20 ! YVERT = 4770.0694, 4770.0494, 4770.0293, 4770.0653 !
!END!
21 ! SRCNAM = SRC_3_21 !
21 ! XVERT = 629.6089, 629.6028, 629.5968, 629.6085 !
21 ! YVERT = 4770.1555, 4770.1449, 4770.1342, 4770.1486 !
!END!
22 ! SRCNAM = SRC_3_22 !
22 ! XVERT = 629.5968, 629.5979, 629.599, 629.6002 !
22 ! YVERT = 4770.1342, 4770.1244, 4770.1145, 4770.1274 !
!END!
23 ! SRCNAM = SRC_3_23 !
23 ! XVERT = 629.7965, 629.7967, 629.7969, 629.798 !
23 ! YVERT = 4770.0774, 4770.0729, 4770.0683, 4770.0759 !
!END!
24 ! SRCNAM = SRC_3_24 !
24 ! XVERT = 629.4649, 629.4689, 629.4728, 629.4687 !
24 ! YVERT = 4770.3184, 4770.319, 4770.3196, 4770.3203 !
!END!
25 ! SRCNAM = SRC_3_25 !
25 ! XVERT = 629.3103, 629.4749, 629.6396, 629.6043 !
25 ! YVERT = 4769.9334, 4769.9813, 4770.0293, 4770.0986 !
!END!
26 ! SRCNAM = SRC_3_26 !
26 ! XVERT = 629.599, 629.6017, 629.6043, 629.6062 !
26 ! YVERT = 4770.1145, 4770.1066, 4770.0986, 4770.1066 !
!END!
27 ! SRCNAM = SRC_3_27 !
27 ! XVERT = 629.6043, 629.6114, 629.6184, 629.6115 !
27 ! YVERT = 4770.0986, 4770.0933, 4770.088, 4770.1005 !
!END!
28 ! SRCNAM = SRC_3_28 !
28 ! XVERT = 629.6153, 629.6242, 629.6331, 629.6532 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

28 ! YVERT = 4770.301, 4770.2538, 4770.2066, 4770.298 !
!END!
29 ! SRCNAM = SRC_3_29 !
29 ! XVERT = 629.6267, 629.6305, 629.6343, 629.6312 !
29 ! YVERT = 4770.0804, 4770.0782, 4770.0759, 4770.0812 !
!END!
30 ! SRCNAM = SRC_3_30 !
30 ! XVERT = 629.7969, 629.8003, 629.8037, 629.8029 !
30 ! YVERT = 4770.0683, 4770.0624, 4770.0566, 4770.0683 !
!END!
31 ! SRCNAM = SRC_3_31 !
31 ! XVERT = 629.5202, 629.5238, 629.5274, 629.5263 !
31 ! YVERT = 4770.3249, 4770.3239, 4770.323, 4770.3264 !
!END!
32 ! SRCNAM = SRC_3_32 !
32 ! XVERT = 629.6096, 629.6072, 629.6047, 629.6108 !
32 ! YVERT = 4769.919, 4769.9158, 4769.9125, 4769.9114 !
!END!
33 ! SRCNAM = SRC_3_33 !
33 ! XVERT = 629.3103, 629.729, 629.7324, 629.7737 !
33 ! YVERT = 4769.9334, 4770.0156, 4770.016, 4769.9652 !
!END!
34 ! SRCNAM = SRC_3_34 !
34 ! XVERT = 629.743, 629.6096, 629.4728, 629.7737 !
34 ! YVERT = 4769.9213, 4769.919, 4769.9182, 4769.9652 !
!END!
35 ! SRCNAM = SRC_3_35 !
35 ! XVERT = 629.4168, 629.3341, 629.3103, 629.4728 !
35 ! YVERT = 4769.897, 4769.9247, 4769.9334, 4769.9182 !
!END!
36 ! SRCNAM = SRC_3_36 !
36 ! XVERT = 629.3103, 629.7006, 629.7067, 629.729 !
36 ! YVERT = 4769.9334, 4770.0187, 4770.0179, 4770.0156 !
!END!
37 ! SRCNAM = SRC_3_37 !
37 ! XVERT = 629.6854, 629.6896, 629.7006, 629.6767 !
37 ! YVERT = 4770.0247, 4770.0232, 4770.0187, 4770.0278 !
!END!
38 ! SRCNAM = SRC_3_38 !
38 ! XVERT = 629.3883, 629.3906, 629.3936, 629.3876 !
38 ! YVERT = 4770.3256, 4770.329, 4770.3332, 4770.312 !
!END!
39 ! SRCNAM = SRC_3_39 !
39 ! XVERT = 629.6252, 629.6043, 629.5968, 629.6331 !
39 ! YVERT = 4770.1865, 4770.1778, 4770.1752, 4770.2066 !
!END!
40 ! SRCNAM = SRC_3_40 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

40 ! XVERT = 629.588, 629.5968, 629.5968, 629.3103 !
40 ! YVERT = 4770.304, 4770.1752, 4770.1342, 4769.9334 !
!END!
41 ! SRCNAM = SRC_3_41 !
41 ! XVERT = 629.7461, 629.7502, 629.7597, 629.7737 !
41 ! YVERT = 4770.0228, 4770.0266, 4770.0342, 4769.9652 !
!END!
42 ! SRCNAM = SRC_3_42 !
42 ! XVERT = 629.3633, 629.3667, 629.3739, 629.3341 !
42 ! YVERT = 4770.2119, 4770.2169, 4770.226, 4770.1649 !
!END!
43 ! SRCNAM = SRC_3_43 !
43 ! XVERT = 629.2546, 629.2746, 629.2883, 629.3103 !
43 ! YVERT = 4770.0528, 4770.0698, 4770.0801, 4769.9334 !
!END!
44 ! SRCNAM = SRC_3_44 !
44 ! XVERT = 629.2883, 629.2985, 629.3122, 629.3103 !
44 ! YVERT = 4770.0801, 4770.0937, 4770.1096, 4769.9334 !
!END!
45 ! SRCNAM = SRC_3_45 !
45 ! XVERT = 629.3103, 629.3739, 629.3876, 629.588 !
45 ! YVERT = 4769.9334, 4770.226, 4770.2591, 4770.304 !
!END!
46 ! SRCNAM = SRC_3_46 !
46 ! XVERT = 629.7737, 629.7734, 629.7726, 629.743 !
46 ! YVERT = 4769.9652, 4769.9531, 4769.9459, 4769.9213 !
!END!
47 ! SRCNAM = SRC_3_47 !
47 ! XVERT = 629.7745, 629.7768, 629.7965, 629.7969 !
47 ! YVERT = 4770.0585, 4770.0611, 4770.0774, 4770.0683 !
!END!
48 ! SRCNAM = SRC_3_48 !
48 ! XVERT = 629.6043, 629.6184, 629.6267, 629.6396 !
48 ! YVERT = 4770.0986, 4770.088, 4770.0804, 4770.0293 !
!END!
49 ! SRCNAM = SRC_3_49 !
49 ! XVERT = 629.3876, 629.3864, 629.3876, 629.3936 !
49 ! YVERT = 4770.2591, 4770.3048, 4770.312, 4770.3332 !
!END!
50 ! SRCNAM = SRC_3_50 !
50 ! XVERT = 629.6267, 629.6403, 629.6532, 629.6153 !
50 ! YVERT = 4770.3014, 4770.3002, 4770.298, 4770.301 !
!END!
51 ! SRCNAM = SRC_3_51 !
51 ! XVERT = 629.743, 629.6676, 629.6108, 629.6096 !
51 ! YVERT = 4769.9213, 4769.9125, 4769.9114, 4769.919 !
!END!

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

52 ! SRCNAM = SRC_3_52 !
52 ! XVERT = 629.3103, 629.3122, 629.3171, 629.3341 !
52 ! YVERT = 4769.9334, 4770.1096, 4770.121, 4770.1649 !
!END!
53 ! SRCNAM = SRC_3_53 !
53 ! XVERT = 629.4948, 629.5073, 629.5274, 629.588 !
53 ! YVERT = 4770.3211, 4770.3226, 4770.323, 4770.304 !
!END!
54 ! SRCNAM = SRC_3_54 !
54 ! XVERT = 629.8037, 629.8033, 629.7737, 629.7969 !
54 ! YVERT = 4770.0566, 4770.0463, 4769.9652, 4770.0683 !
!END!
55 ! SRCNAM = SRC_3_55 !
55 ! XVERT = 629.5274, 629.5342, 629.5483, 629.588 !
55 ! YVERT = 4770.323, 4770.323, 4770.3211, 4770.304 !
!END!
56 ! SRCNAM = SRC_3_56 !
56 ! XVERT = 629.4819, 629.4948, 629.588, 629.3876 !
56 ! YVERT = 4770.3196, 4770.3211, 4770.304, 4770.2591 !
!END!
57 ! SRCNAM = SRC_3_57 !
57 ! XVERT = 629.7324, 629.7396, 629.7461, 629.7737 !
57 ! YVERT = 4770.016, 4770.0202, 4770.0228, 4769.9652 !
!END!
58 ! SRCNAM = SRC_3_58 !
58 ! XVERT = 629.4649, 629.4728, 629.4819, 629.3876 !
58 ! YVERT = 4770.3184, 4770.3196, 4770.3196, 4770.2591 !
!END!
59 ! SRCNAM = SRC_3_59 !
59 ! XVERT = 629.5968, 629.6055, 629.6089, 629.5968 !
59 ! YVERT = 4770.1752, 4770.1627, 4770.1555, 4770.1342 !
!END!
60 ! SRCNAM = SRC_3_60 !
60 ! XVERT = 629.4168, 629.4008, 629.3807, 629.3341 !
60 ! YVERT = 4769.897, 4769.8966, 4769.8993, 4769.9247 !
!END!
61 ! SRCNAM = SRC_3_61 !
61 ! XVERT = 629.4171, 629.4342, 629.4421, 629.3936 !
61 ! YVERT = 4770.334, 4770.3309, 4770.3279, 4770.3332 !
!END!
62 ! SRCNAM = SRC_3_62 !
62 ! XVERT = 629.4027, 629.4058, 629.4171, 629.3936 !
62 ! YVERT = 4770.337, 4770.337, 4770.334, 4770.3332 !
!END!
63 ! SRCNAM = SRC_3_63 !
63 ! XVERT = 629.4421, 629.449, 629.4535, 629.4649 !
63 ! YVERT = 4770.3279, 4770.3264, 4770.3245, 4770.3184 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

!END!
64 ! SRCNAM = SRC_3_64 !
64 ! XVERT = 629.599, 629.6043, 629.3103, 629.5968 !
64 ! YVERT = 4770.1145, 4770.0986, 4769.9334, 4770.1342 !
!END!
65 ! SRCNAM = SRC_3_65 !
65 ! XVERT = 629.5968, 629.6081, 629.6153, 629.6331 !
65 ! YVERT = 4770.1752, 4770.301, 4770.301, 4770.2066 !
!END!
66 ! SRCNAM = SRC_3_66 !
66 ! XVERT = 629.6775, 629.6449, 629.6331, 629.6532 !
66 ! YVERT = 4770.2862, 4770.2172, 4770.2066, 4770.298 !
!END!
67 ! SRCNAM = SRC_3_67 !
67 ! XVERT = 629.3364, 629.3546, 629.3633, 629.3341 !
67 ! YVERT = 4770.1839, 4770.2063, 4770.2119, 4770.1649 !
!END!
68 ! SRCNAM = SRC_3_68 !
68 ! XVERT = 629.7654, 629.770, 629.7745, 629.7597 !
68 ! YVERT = 4770.0494, 4770.055, 4770.0585, 4770.0342 !
!END!
69 ! SRCNAM = SRC_3_69 !
69 ! XVERT = 629.3936, 629.4421, 629.4649, 629.3876 !
69 ! YVERT = 4770.3332, 4770.3279, 4770.3184, 4770.2591 !
!END!
70 ! SRCNAM = SRC_3_70 !
70 ! XVERT = 629.6343, 629.6381, 629.6396, 629.6267 !
70 ! YVERT = 4770.0759, 4770.0694, 4770.0293, 4770.0804 !
!END!
71 ! SRCNAM = SRC_3_71 !
71 ! XVERT = 629.588, 629.6021, 629.6081, 629.5968 !
71 ! YVERT = 4770.304, 4770.3033, 4770.301, 4770.1752 !
!END!
72 ! SRCNAM = SRC_3_72 !
72 ! XVERT = 629.7726, 629.7684, 629.7643, 629.743 !
72 ! YVERT = 4769.9459, 4769.9349, 4769.9296, 4769.9213 !
!END!
73 ! SRCNAM = SRC_3_73 !
73 ! XVERT = 629.6222, 629.6248, 629.6267, 629.6184 !
73 ! YVERT = 4770.0888, 4770.0854, 4770.0804, 4770.088 !
!END!
74 ! SRCNAM = SRC_3_74 !
74 ! XVERT = 629.6544, 629.6676, 629.6767, 629.6396 !
74 ! YVERT = 4770.0331, 4770.0319, 4770.0278, 4770.0293 !
!END!
75 ! SRCNAM = SRC_3_75 !
75 ! XVERT = 629.3754, 629.3813, 629.3876, 629.3739 !

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

75 ! YVERT = 4770.2464, 4770.2554, 4770.2591, 4770.226 !
!END!
76 ! SRCNAM = SRC_3_76 !
76 ! XVERT = 629.3345, 629.3413, 629.3546, 629.3364 !
76 ! YVERT = 4770.2047, 4770.2081, 4770.2063, 4770.1839 !
!END!
77 ! SRCNAM = SRC_3_77 !
77 ! XVERT = 629.7737, 629.7597, 629.7745, 629.7969 !
77 ! YVERT = 4769.9652, 4770.0342, 4770.0585, 4770.0683 !
!END!
78 ! SRCNAM = SRC_3_78 !
78 ! XVERT = 629.5483, 629.5536, 629.5596, 629.5661 !
78 ! YVERT = 4770.3211, 4770.3268, 4770.3249, 4770.3173 !
!END!
79 ! SRCNAM = SRC_3_79 !
79 ! XVERT = 629.3103, 629.3341, 629.3311, 629.3281 !
79 ! YVERT = 4769.9334, 4769.9247, 4769.9254, 4769.9171 !
!END!
80 ! SRCNAM = SRC_3_80 !
80 ! XVERT = 629.6096, 629.4728, 629.510, 629.510 !
80 ! YVERT = 4769.919, 4769.9182, 4769.9152, 4769.9122 !
!END!
81 ! SRCNAM = SRC_3_81 !
81 ! XVERT = 629.7006, 629.3103, 629.6396, 629.6767 !
81 ! YVERT = 4770.0187, 4769.9334, 4770.0293, 4770.0278 !
!END!
82 ! SRCNAM = SRC_3_82 !
82 ! XVERT = 629.5274, 629.5073, 629.516, 629.5202 !
82 ! YVERT = 4770.323, 4770.3226, 4770.3241, 4770.3249 !
!END!
83 ! SRCNAM = SRC_3_83 !
83 ! XVERT = 629.4649, 629.4535, 629.4596, 629.4645 !
83 ! YVERT = 4770.3184, 4770.3245, 4770.3241, 4770.3234 !
!END!

```

a

Data for each source are treated as a separate input subgroup
and therefore must end with an input group terminator.

Subgroup (14d)

a

AREA SOURCE: EMISSION-RATE SCALING FACTORS

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Use this subgroup to identify temporal variations in the emission rates given in 14b. Factors assigned multiply the rates in 14b. Skip sources here that have constant emissions. For more elaborate variation in source parameters, use BAEMARB.DAT and NAR2 > 0.

Sets of emission-rate scale factors are defined in Input Group 19, and are referenced by the FACTORNAME. Provide NSAR1 lines that identify the emission-rate scale factor table for each source-species combination that uses the scaling option. Note that a scale-factor table can be used with more than one source-species combination so a FACTORNAME can be repeated.

Source-Species No.	Source Name (SRCNAM)	Species Name (CSPEC)	Scale-factor table Name (FACTORNAME)
1	SRC_3_1,	PM10,	FACTORS_1
2	SRC_3_2,	PM10,	FACTORS_1
3	SRC_3_3,	PM10,	FACTORS_1
4	SRC_3_4,	PM10,	FACTORS_1
5	SRC_3_5,	PM10,	FACTORS_1
6	SRC_3_6,	PM10,	FACTORS_1
7	SRC_3_7,	PM10,	FACTORS_1
8	SRC_3_8,	PM10,	FACTORS_1
9	SRC_3_9,	PM10,	FACTORS_1
10	SRC_3_10,	PM10,	FACTORS_1
11	SRC_3_11,	PM10,	FACTORS_1
12	SRC_3_12,	PM10,	FACTORS_1
13	SRC_3_13,	PM10,	FACTORS_1
14	SRC_3_14,	PM10,	FACTORS_1
15	SRC_3_15,	PM10,	FACTORS_1
16	SRC_3_16,	PM10,	FACTORS_1
17	SRC_3_17,	PM10,	FACTORS_1
18	SRC_3_18,	PM10,	FACTORS_1
19	SRC_3_19,	PM10,	FACTORS_1
20	SRC_3_20,	PM10,	FACTORS_1
21	SRC_3_21,	PM10,	FACTORS_1
22	SRC_3_22,	PM10,	FACTORS_1
23	SRC_3_23,	PM10,	FACTORS_1
24	SRC_3_24,	PM10,	FACTORS_1
25	SRC_3_25,	PM10,	FACTORS_1
26	SRC_3_26,	PM10,	FACTORS_1
27	SRC_3_27,	PM10,	FACTORS_1
28	SRC_3_28,	PM10,	FACTORS_1
29	SRC_3_29,	PM10,	FACTORS_1

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

30 ! SCALEFACTOR = SRC_3_30,	PM10,	FACTORS_1	! !END!
31 ! SCALEFACTOR = SRC_3_31,	PM10,	FACTORS_1	! !END!
32 ! SCALEFACTOR = SRC_3_32,	PM10,	FACTORS_1	! !END!
33 ! SCALEFACTOR = SRC_3_33,	PM10,	FACTORS_1	! !END!
34 ! SCALEFACTOR = SRC_3_34,	PM10,	FACTORS_1	! !END!
35 ! SCALEFACTOR = SRC_3_35,	PM10,	FACTORS_1	! !END!
36 ! SCALEFACTOR = SRC_3_36,	PM10,	FACTORS_1	! !END!
37 ! SCALEFACTOR = SRC_3_37,	PM10,	FACTORS_1	! !END!
38 ! SCALEFACTOR = SRC_3_38,	PM10,	FACTORS_1	! !END!
39 ! SCALEFACTOR = SRC_3_39,	PM10,	FACTORS_1	! !END!
40 ! SCALEFACTOR = SRC_3_40,	PM10,	FACTORS_1	! !END!
41 ! SCALEFACTOR = SRC_3_41,	PM10,	FACTORS_1	! !END!
42 ! SCALEFACTOR = SRC_3_42,	PM10,	FACTORS_1	! !END!
43 ! SCALEFACTOR = SRC_3_43,	PM10,	FACTORS_1	! !END!
44 ! SCALEFACTOR = SRC_3_44,	PM10,	FACTORS_1	! !END!
45 ! SCALEFACTOR = SRC_3_45,	PM10,	FACTORS_1	! !END!
46 ! SCALEFACTOR = SRC_3_46,	PM10,	FACTORS_1	! !END!
47 ! SCALEFACTOR = SRC_3_47,	PM10,	FACTORS_1	! !END!
48 ! SCALEFACTOR = SRC_3_48,	PM10,	FACTORS_1	! !END!
49 ! SCALEFACTOR = SRC_3_49,	PM10,	FACTORS_1	! !END!
50 ! SCALEFACTOR = SRC_3_50,	PM10,	FACTORS_1	! !END!
51 ! SCALEFACTOR = SRC_3_51,	PM10,	FACTORS_1	! !END!
52 ! SCALEFACTOR = SRC_3_52,	PM10,	FACTORS_1	! !END!
53 ! SCALEFACTOR = SRC_3_53,	PM10,	FACTORS_1	! !END!
54 ! SCALEFACTOR = SRC_3_54,	PM10,	FACTORS_1	! !END!
55 ! SCALEFACTOR = SRC_3_55,	PM10,	FACTORS_1	! !END!
56 ! SCALEFACTOR = SRC_3_56,	PM10,	FACTORS_1	! !END!
57 ! SCALEFACTOR = SRC_3_57,	PM10,	FACTORS_1	! !END!
58 ! SCALEFACTOR = SRC_3_58,	PM10,	FACTORS_1	! !END!
59 ! SCALEFACTOR = SRC_3_59,	PM10,	FACTORS_1	! !END!
60 ! SCALEFACTOR = SRC_3_60,	PM10,	FACTORS_1	! !END!
61 ! SCALEFACTOR = SRC_3_61,	PM10,	FACTORS_1	! !END!
62 ! SCALEFACTOR = SRC_3_62,	PM10,	FACTORS_1	! !END!
63 ! SCALEFACTOR = SRC_3_63,	PM10,	FACTORS_1	! !END!
64 ! SCALEFACTOR = SRC_3_64,	PM10,	FACTORS_1	! !END!
65 ! SCALEFACTOR = SRC_3_65,	PM10,	FACTORS_1	! !END!
66 ! SCALEFACTOR = SRC_3_66,	PM10,	FACTORS_1	! !END!
67 ! SCALEFACTOR = SRC_3_67,	PM10,	FACTORS_1	! !END!
68 ! SCALEFACTOR = SRC_3_68,	PM10,	FACTORS_1	! !END!
69 ! SCALEFACTOR = SRC_3_69,	PM10,	FACTORS_1	! !END!
70 ! SCALEFACTOR = SRC_3_70,	PM10,	FACTORS_1	! !END!
71 ! SCALEFACTOR = SRC_3_71,	PM10,	FACTORS_1	! !END!
72 ! SCALEFACTOR = SRC_3_72,	PM10,	FACTORS_1	! !END!
73 ! SCALEFACTOR = SRC_3_73,	PM10,	FACTORS_1	! !END!
74 ! SCALEFACTOR = SRC_3_74,	PM10,	FACTORS_1	! !END!
75 ! SCALEFACTOR = SRC_3_75,	PM10,	FACTORS_1	! !END!
76 ! SCALEFACTOR = SRC_3_76,	PM10,	FACTORS_1	! !END!

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**


```

77 ! SCALEFACTOR = SRC_3_77,    PM10,    FACTORS_1    ! !END!
78 ! SCALEFACTOR = SRC_3_78,    PM10,    FACTORS_1    ! !END!
79 ! SCALEFACTOR = SRC_3_79,    PM10,    FACTORS_1    ! !END!
80 ! SCALEFACTOR = SRC_3_80,    PM10,    FACTORS_1    ! !END!
81 ! SCALEFACTOR = SRC_3_81,    PM10,    FACTORS_1    ! !END!
82 ! SCALEFACTOR = SRC_3_82,    PM10,    FACTORS_1    ! !END!
83 ! SCALEFACTOR = SRC_3_83,    PM10,    FACTORS_1    ! !END!

```

a

Data for each species are treated as a separate input subgroup
and therefore must end with an input group terminator.

b

Source name must match one of the SRCNAM names defined in Input Group 14b

c

Species name must match one of the CSPEC names of emitted species defined in Input
Group 3

d

Scale-factor name must match one of the FACTORNAME names defined in Input Group 19

INPUT GROUPS: 15a, 15b, 15c -- Line source parameters

Subgroup (15a)

Number of buoyant line sources
with variable location and emission
parameters (NLN2) No default ! NLN2 = 0 !

(If NLN2 > 0, ALL parameter data for
these sources are read from the file: LNEARB.DAT)

Number of buoyant line sources (NLINES) No default ! NLINES = 0 !

Units used for line source
emissions below (ILNU) Default: 1 ! ILNU = 1 !

- 1 = g/s
- 2 = kg/hr
- 3 = lb/hr
- 4 = tons/yr
- 5 = Odour Unit * m**3/s (vol. flux of odour compound)
- 6 = Odour Unit * m**3/min

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

7 = metric tons/yr
 8 = Bq/s (Bq = becquerel = disintegrations/s)
 9 = GBq/yr

Number of source-species combinations with variable emissions scaling factors provided below in (15c) (NSLN1) Default: 0 ! NSLN1 = 0 !

Maximum number of segments used to model each line (MXNSEG) Default: 7 ! MXNSEG = 7 !

The following variables are required only if NLINES > 0. They are used in the buoyant line source plume rise calculations.

Number of distances at which transitional rise is computed Default: 6 ! NLRISE = 6 !

Average building length (XL) No default * XL = *
 (in meters)

Average building height (HBL) No default * HBL = *
 (in meters)

Average building width (WBL) No default * WBL = *
 (in meters)

Average line source width (WML) No default * WML = *
 (in meters)

Average separation between buildings (DXL) No default * DXL = *
 (in meters)

Average buoyancy parameter (FPRIMEL) No default * FPRIMEL = *
 (in m^{**4}/s^{**3})

!END!

 Subgroup (15b)

BUOYANT LINE SOURCE: CONSTANT DATA

a

Source	Beg. X	Beg. Y	End. X	End. Y	Release	Base	Emission
No.	Coordinate	Coordinate	Coordinate	Coordinate	Height	Elevation	Rates

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

(km) (km) (km) (km) (m) (m)

a

Data for each source are treated as a separate input subgroup and therefore must end with an input group terminator.

b

An emission rate must be entered for every pollutant modeled. Enter emission rate of zero for secondary pollutants that are modeled, but not emitted. Units are specified by ILNTU (e.g. 1 for g/s).

Subgroup (15c)

a

BUOYANT LINE SOURCE: EMISSION-RATE SCALING FACTORS

Use this subgroup to identify temporal variations in the emission rates given in 15b. Factors assigned multiply the rates in 15b. Skip sources here that have constant emissions. For more elaborate variation in source parameters, use LNEMARB.DAT and NLN2 > 0.

Sets of emission-rate scale factors are defined in Input Group 19, and are referenced by the FACTORNAME. Provide NSLN1 lines that identify the emission-rate scale factor table for each source-species combination that uses the scaling option. Note that a scale-factor table can be used with more than one source-species combination so a FACTORNAME can be repeated.

Source- Species No.	Source Name b (SRCNAM)	Species Name c (CSPEC)	Scale-factor table Name d (FACTORNAME)
---------------------------	------------------------------	------------------------------	----------------------------------------------

a

Data for each species are treated as a separate input subgroup and therefore must end with an input group terminator.

b

Source name must match one of the SRCNAM names defined in Input Group 15b

c

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Species name must match one of the CSPEC names of emitted species defined in Input Group 3

d

Scale-factor name must match one of the FACTORNAME names defined in Input Group 19

INPUT GROUPS: 16a, 16b, 16c -- Volume source parameters

Subgroup (16a)

Number of volume sources with
parameters provided in 16b,c (NVL1) No default ! NVL1 = 0 !

Units used for volume source
emissions below in 16b (IVLU) Default: 1 ! IVLU = 1 !

- 1 = g/s
- 2 = kg/hr
- 3 = lb/hr
- 4 = tons/yr
- 5 = Odour Unit * m**3/s (vol. flux of odour compound)
- 6 = Odour Unit * m**3/min
- 7 = metric tons/yr
- 8 = Bq/s (Bq = becquerel = disintegrations/s)
- 9 = GBq/yr

Number of source-species
combinations with variable
emissions scaling factors
provided below in (16c) (NSVL1) Default: 0 ! NSVL1 = 0 !

Number of volume sources with
variable location and emission
parameters (NVL2) No default ! NVL2 = 0 !

(If NVL2 > 0, ALL parameter data for
these sources are read from the VOLEMARB.DAT file(s))

!END!

Subgroup (16b)

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

a

VOLUME SOURCE: CONSTANT DATA

b

Source No.	X Coordinate (km)	Y Coordinate (km)	Effect. (m)	Base Height (m)	Initial Elevation (m)	Initial Sigma y (m)	Emission Sigma z	Rates
-----	-----	-----	-----	-----	-----	-----	-----	-----

a

Data for each source are treated as a separate input subgroup and therefore must end with an input group terminator.

b

An emission rate must be entered for every pollutant modeled. Enter emission rate of zero for secondary pollutants that are modeled, but not emitted. Units are specified by IVLU (e.g. 1 for g/s).

Subgroup (16c)

a

VOLUME SOURCE: EMISSION-RATE SCALING FACTORS

Use this subgroup to identify temporal variations in the emission rates given in 16b. Factors assigned multiply the rates in 16b. Skip sources here that have constant emissions. For more elaborate variation in source parameters, use VOLEMARB.DAT and NVL2 > 0.

Sets of emission-rate scale factors are defined in Input Group 19, and are referenced by the FACTORNAME. Provide NSVL1 lines that identify the emission-rate scale factor table for each source-species combination that uses the scaling option. Note that a scale-factor table can be used with more than one source-species combination so a FACTORNAME can be repeated.

Source-Species No.	Source Name (SRCNAM)	Species Name (CSPEC)	Scale-factor table Name (FACTORNAME)
-----	-----	-----	-----

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

a

Data for each species are treated as a separate input subgroup and therefore must end with an input group terminator.

b

Source name must match one of the SRCNAM names defined in Input Group 16b

c

Species name must match one of the CSPEC names of emitted species defined in Input Group 3

d

Scale-factor name must match one of the FACTORNAME names defined in Input Group 19

INPUT GROUP: 17 -- FLARE source control parameters (variable emissions file)

Number of flare sources defined in FLEMARB.DAT file(s)
(NFL2) Default: 0 ! NFL2 = 0 !

(At least 1 FLEMARB.DAT file is needed if NFL2 > 0)

!END!

INPUT GROUPS: 18a, 18b, 18c -- Road Emissions parameters

Subgroup (18a)

Emissions from roads are generated from individual line segments defined by a sequence of coordinates provided for each road-link. Each link is entered as a discrete source and is defined as a section of the road for which emissions are uniform.

A long, winding isolated road might be characterized by a single link made up of many coordinate triples (x,y,z) that describe its pathway. These points should be sufficient to resolve curves, but need not have uniform spacing. For example, a straight flat segment can be defined by 2 points, regardless of the distance covered. Long line segments are automatically

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

divided further within the model into segments that are limited by the grid-cell boundaries (no segment may extend across multiple cells). One emission rate (g/m/s) for each species is used for the entire road.

Near a congested intersection, many short links may be required to resolve the spatial and temporal distribution of emissions. Each is entered and modeled as a discrete source.

Number of road-links with emission parameters
provided in Subgroup 18b (NRD1) No default ! NRD1 = 1 !

Number of road-links with arbitrarily time-varying
emission parameters (NRD2) No default ! NRD2 = 0 !
(If NRD2 > 0, ALL variable road data
are read from the file: RDEMARB.DAT)

Emissions from one or more of the roads presented in Subgroup 18b may vary over time-based cycles or by meteorology. This variability is modeled by applying an emission-rate scale factor specified for particular road links and species in Subgroup 18c.

Number of road links and species combinations
with variable emission-rate scale-factors
(NSFRDS) Default: 0 ! NSFRDS = 0 !

!END!

Subgroup (18b)

a
DATA FOR ROADS WITH CONSTANT OR SCALED EMISSION PARAMETERS

b

Road No.	Effect. Height (mAGL)	Initial Sigma z (m)	Initial Sigma y (m)	Emission Rates (g/s/m)
-----	-----	-----	-----	-----

c

1 ! SRCNAM = SRC_5 !
1 ! X = 1.0, 5.0, 10.0, 3.6111E-07 !
!END!

a

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Data for each of the NRD1 roads are treated as a separate input subgroup and therefore must end with an input group terminator.

b

NSPEC Emission rates must be entered (one for every pollutant modeled). Enter emission rate of zero for secondary pollutants.

c

Road-source names are entered without spaces, and may be 16 characters long.

Subgroup (18c)

a

EMISSION-RATE SCALING FACTORS

Use this subgroup to identify temporal variations in the emission rates given in 18b. Factors assigned multiply the rates in 18b. Skip sources here that have constant emissions. For more elaborate variation in source parameters, use RDEMARB.DAT and NRD2 > 0.

Sets of emission-rate scale factors are defined in Input Group 19, and are referenced by the FACTORNAME. Provide NSFRDS lines that identify the emission-rate scale factor table for each source-species combination that uses the scaling option. Note that a scale-factor table can be used with more than one source-species combination so a FACTORNAME can be repeated.

Source- Species No.	Source Name b (SRCNAM)	Species Name c (CSPEC)	Scale-factor table Name d (FACTORNAME)
-----	-----	-----	-----

a

Assignment for each source-specie is treated as a separate input subgroup and therefore must end with an input group terminator.

b

Source name must match one of the SRCNAM names defined in Input Group 18b

c

Species name must match one of the CSPEC names of emitted species defined in Input Group 3

d

Scale-factor name must match one of the FACTORNAME names defined in Input Group 19

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

 Subgroup (18d)

a
 COORDINATES FOR EACH NAMED ROAD

Coordinate No.	X (km)	Y (km)	Ground Coordinate (m)	Elevation
1 ! SRCNAM = SRC_5 !				
1 ! NPTROAD = 49 ! !END!				
1 ! XYZ = 629.30291, 4769.94438, 189.00 ! !END!				
2 ! XYZ = 629.29813, 4769.90511, 191.30 ! !END!				
3 ! XYZ = 629.29882, 4769.88360, 195.01 ! !END!				
4 ! XYZ = 629.30940, 4769.85696, 203.97 ! !END!				
5 ! XYZ = 629.32374, 4769.83203, 212.65 ! !END!				
6 ! XYZ = 629.33262, 4769.81223, 219.84 ! !END!				
7 ! XYZ = 629.33570, 4769.79789, 224.98 ! !END!				
8 ! XYZ = 629.33570, 4769.79037, 227.42 ! !END!				
9 ! XYZ = 629.33228, 4769.78081, 227.02 ! !END!				
10 ! XYZ = 629.29745, 4769.75486, 209.44 ! !END!				
11 ! XYZ = 629.23735, 4769.71969, 195.32 ! !END!				
12 ! XYZ = 629.22779, 4769.71525, 193.05 ! !END!				
13 ! XYZ = 629.21925, 4769.71388, 190.80 ! !END!				
14 ! XYZ = 629.21208, 4769.71593, 185.98 ! !END!				
15 ! XYZ = 629.20832, 4769.71969, 184.92 ! !END!				
16 ! XYZ = 629.20696, 4769.72413, 183.29 ! !END!				
17 ! XYZ = 629.20764, 4769.73164, 184.75 ! !END!				
18 ! XYZ = 629.22403, 4769.76647, 190.99 ! !END!				
19 ! XYZ = 629.23598, 4769.78013, 194.39 ! !END!				
20 ! XYZ = 629.24589, 4769.78935, 194.35 ! !END!				
21 ! XYZ = 629.24759, 4769.79481, 193.35 ! !END!				
22 ! XYZ = 629.24759, 4769.80403, 191.20 ! !END!				
23 ! XYZ = 629.24008, 4769.81291, 187.21 ! !END!				
24 ! XYZ = 629.12466, 4769.90750, 153.76 ! !END!				
25 ! XYZ = 629.09598, 4769.93106, 145.30 ! !END!				
26 ! XYZ = 629.07481, 4769.95940, 139.30 ! !END!				
27 ! XYZ = 629.07412, 4769.96692, 139.28 ! !END!				
28 ! XYZ = 629.08437, 4769.97819, 141.41 ! !END!				
29 ! XYZ = 629.10008, 4769.99560, 143.72 ! !END!				
30 ! XYZ = 629.10622, 4770.02224, 142.45 ! !END!				
31 ! XYZ = 629.10759, 4770.05707, 141.77 ! !END!				
32 ! XYZ = 629.11066, 4770.07141, 141.94 ! !END!				
33 ! XYZ = 629.12057, 4770.09019, 142.42 ! !END!				

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

```

34 ! XYZ = 629.13013, 4770.10726, 142.55 ! !END!
35 ! XYZ = 629.14481, 4770.12605, 142.54 ! !END!
36 ! XYZ = 629.19228, 4770.17385, 146.48 ! !END!
37 ! XYZ = 629.21208, 4770.20288, 150.46 ! !END!
38 ! XYZ = 629.23394, 4770.28415, 140.17 ! !END!
39 ! XYZ = 629.23667, 4770.32069, 131.34 ! !END!
40 ! XYZ = 629.24794, 4770.34869, 130.28 ! !END!
41 ! XYZ = 629.25955, 4770.36064, 130.46 ! !END!
42 ! XYZ = 629.30974, 4770.39615, 125.73 ! !END!
43 ! XYZ = 629.31111, 4770.40128, 125.11 ! !END!
44 ! XYZ = 629.31043, 4770.40435, 122.87 ! !END!
45 ! XYZ = 629.29199, 4770.42415, 119.60 ! !END!
46 ! XYZ = 629.29677, 4770.42962, 119.18 ! !END!
47 ! XYZ = 629.34423, 4770.43781, 119.66 ! !END!
48 ! XYZ = 629.43541, 4770.45830, 117.13 ! !END!
49 ! XYZ = 629.43677, 4770.45830, 117.21 ! !END!

```

a

Each line of coordinates is treated as a separate input subgroup and therefore must end with an input group terminator.

INPUT GROUPS: 19a, 19b -- Emission rate scale-factor tables

Use this group to enter variation factors applied to emission rates for any source-specie combinations that use this feature. The tables of emission-rate scale factors are referenced by the name assigned to FACTORNAME. These names do not need to include specific source or species names used in the simulation, particularly if one factor table is used for many types of sources and species, but should be descriptive. But if a factor table applies to just one source, the reference name for it should generally contain that source-name. FACTORNAME must NOT include spaces.

The FACTORTYPE for each table must be one of the following:

```

CONSTANT1      1  scaling factor
MONTH12        12 scaling factors: months 1-12
DAY7           7  scaling factors: days 1-7
                [SUNDAY,MONDAY, ... FRIDAY,SATURDAY]
HOUR24         24 scaling factors: hours 1-24
HOUR24_DAY7    168 scaling factors: hours 1-24,
                repeated 7 times: SUNDAY, MONDAY, ... SATURDAY

```

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

c

Spaces are NOT allowed in any FACTORNAME or FACTORTYPE assignment,
and the names are NOT case-sensitive

INPUT GROUPS: 20a, 20b, 20c -- Non-gridded (discrete) receptor information

Subgroup (20a)

Number of non-gridded receptors (NREC) No default ! NREC = 28 !

Group names can be used to assign receptor locations in
Subgroup 17c and thereby provide an identification that
can be referenced when postprocessing receptors. The
default assignment name X is used when NRGRP = 0.

Number of receptor group names (NRGRP) Default: 0 ! NRGRP = 0 !

!END!

Subgroup (20b)

Provide a name for each receptor group if NRGRP>0.
Enter NRGRP lines.

a,b
Group Name

* RGRPNAMLIST = *

a

Each group name provided is treated as a separate input subgroup
and therefore must end with an input group terminator.

b

Receptor group names must not include blanks.

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

Subgroup (20c)

a

NON-GRIDDED (DISCRETE) RECEPTOR DATA

	c	X	Y	Ground	Height b
Receptor	Group	Coordinate		Elevation	Above Ground
No.	Name	(km)	(km)	(m)	(m)

1 !	X =	631.69924,	4768.71873,	208.7,	2.0 ! !END!
2 !	X =	631.59735,	4769.89059,	170.2,	2.0 ! !END!
3 !	X =	629.25811,	4773.07906,	164.2,	2.0 ! !END!
4 !	X =	625.93864,	4772.59549,	18.6,	2.0 ! !END!
5 !	X =	625.98482,	4769.84012,	18.9,	2.0 ! !END!
6 !	X =	627.01616,	4768.58558,	26.1,	2.0 ! !END!
7 !	X =	628.82255,	4769.00508,	95.5,	2.0 ! !END!
8 !	X =	630.86651,	4770.21508,	161.8,	2.0 ! !END!
9 !	X =	628.32900,	4771.70141,	90.0,	2.0 ! !END!
10 !	X =	627.15826,	4770.96988,	48.2,	2.0 ! !END!
11 !	X =	626.55323,	4770.98992,	30.2,	2.0 ! !END!
12 !	X =	628.72854,	4769.65102,	99.7,	2.0 ! !END!
13 !	X =	630.53144,	4770.29447,	146.0,	2.0 ! !END!
14 !	X =	628.51930,	4770.97322,	92.9,	2.0 ! !END!
15 !	X =	628.78010,	4770.61538,	87.7,	2.0 ! !END!
16 !	X =	629.47651,	4770.46504,	116.9,	2.0 ! !END!
17 !	X =	629.33243,	4770.49320,	112.9,	2.0 ! !END!
18 !	X =	629.17345,	4770.19841,	139.9,	2.0 ! !END!
19 !	X =	629.10555,	4770.39383,	106.4,	2.0 ! !END!
20 !	X =	629.53611,	4770.72672,	146.8,	2.0 ! !END!
21 !	X =	629.26341,	4770.91989,	138.0,	2.0 ! !END!
22 !	X =	629.13842,	4771.33577,	140.6,	2.0 ! !END!
23 !	X =	630.02698,	4770.51765,	130.0,	2.0 ! !END!
24 !	X =	630.45877,	4770.54719,	173.9,	2.0 ! !END!
25 !	X =	631.00191,	4771.16078,	328.8,	2.0 ! !END!
26 !	X =	630.16788,	4771.43121,	348.7,	2.0 ! !END!
27 !	X =	630.85646,	4770.62673,	210.2,	2.0 ! !END!
28 !	X =	631.18001,	4768.74721,	232.5,	2.0 ! !END!

a

Data for each receptor are treated as a separate input subgroup and therefore must end with an input group terminator.

b

Receptor height above ground is optional. If no value is entered, the receptor is placed on the ground.

001_ALL_INT_Calpuff: ALLEGATO FILE INPUT CALPUFF

Verifica di assoggettabilità regionale postuma relativa alla Variante a parità di volume al progetto di coltivazione e ripristino delle miniere Botro ai Marmi e Montorsi, nel Comune di Campiglia Marittima (LI).

Proponente: SALES S.p.A. – **Risposte alla richiesta di integrazioni e di chiarimenti**

c

Receptors can be assigned using group names provided in 17b. If no group names are used (NRGRP=0) then the default assignment name X must be used.