



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT5120005
SITENAME Monte Romecchio - Monte Rondinaio - Poggione

TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	Back to top
B	IT5120005	

1.3 Site name

Monte Romecchio - Monte Rondinaio - Poggione
--

1.4 First Compilation date	1.5 Update date
1995-07	2019-12

1.6 Respondent:

Name/Organisation:	Regione Toscana - Direzione Ambiente ed Energia - Settore Tutela della Natura e del Mare
Address:	Via di Novoli, 26 - 50127 Firenze
Email:	parchiareeprotette_biodiversita@regione.toscana.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-05
National legal reference of SAC designation:	DM 24/05/2016 - G.U. 139 del 16-06-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 10.578056 Latitude 44.123889

2.2 Area [ha]: 715.0 2.3 Marine area [%] 0.0

2.4 Sitelength [km]: 0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name

2.6 Biogeographical Region(s)

Mediterranean (100.0 %)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4030			1.29		M	D			
4060			167.91		M	B	C	B	B
6150			220.19		M	B	C	B	C
6170			0.04		M	D			
6430			3.45		M	C	C	B	C
8120			3.72		M	D			
8130			14.77		M	B	C	B	B
8220			83.0		M	B	C	C	B
8230			1.24		M	C	C	B	C
9110			155.35		M	C	C	C	C
9410			0.73		M	D			

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A255	Anthus campestris			r				P	DD	C	B	C	C
B	A091	Aquila chrysaetos			p				P	DD	C	A	C	C
M	1352	Canis lupus			p				P	DD	C	A	C	A
B	A096	Falco tinnunculus			p				P	DD	C	A	C	C
B	A246	Lullula arborea			p				P	DD	D			
B	A280	Monticola saxatilis			r				R	DD	C	B	C	B
B	A277	Oenanthe oenanthe			r				R	DD	C	B	C	B
B	A267	Prunella collaris			r				R	DD	C	A	C	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D	
P	1480	Aquilegia alpina						V	X						
P		Armeria marginata						R				X			
P		Artemisia umbelliformis						V							X

P		Campanula latifolia						P						X
P		Campanula spicata						V						X
P		Carex fusca						P						X
P		Carex macrostachys						P				X		
P		Carex praecox						P						X
P		Carex rostrata						P						X
P		Centaurea uniflora						P						X
P		Cirsium bertolonii						R				X		
P		Convallaria majalis						P						X
P		Dryopteris oreades						V						X
I		Erebia epiphron						P						X
I		Erebia montana						P						X
P		Festuca riccerii						P				X		
P		Gentiana kochiana						P						X
P		Gentiana purpurea						R						X
P		Gentiana verna						P						X
P		Globularia incanescens						P				X		
P		Hieracium brunellaeforme						P						X
P		Laserpitium gallicum						P						X
P		Leontodon anomalus						P						X
P		LISTERA CORDATA (L.) R. BR.						V					X	
P		Luzula luzulina						P						X
P	1413	Lycopodium sp.						R		X				
P		Menyanthes trifoliata						P						X
P		Murbeckiella zanonii						P				X		
P		Pedicularis cenisia						V				X		
P		Potentilla nitida						P						X
P		Potentilla nivea						P						X
P		Pulsatilla alpina						R						X
A	1213	Rana temporaria						P		X				
P		Rosa pimpinellifolia						R						X
P		Rumex nebroides						P						X
P		SAXIFRAGA ETRUSCA PIGN.						R				X		
P		Sempervivum arachnoideum						P						X
P		Sesleria italica						P						X
P		STACHYS PRADICA (ZANTED.) GREUTER ET PIGN.						V						X
I		Trachyphloeus apuanus						P						X
P		TRAUNSTEINERA GLOBOSA (L.) RCHB.						R					X	
P		Woodsia alpina						V						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N08	25.0
N22	30.0
N09	24.0
N23	1.0
N16	5.0

N11	15.0
Total Habitat Cover	100

Other Site Characteristics

Fascia sommitale su arenarie con morfologia assai aspra dei versanti.

4.2 Quality and importance

Popolazioni isolate di specie alpine e boreali, presenza di habitat al loro limite meridionale. Avifauna tipica delle praterie sommitali appenniniche. Da segnalare la presenza tra i Mammiferi del predatore Canis lupus.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	G01.02		B
M	D01.02		B
L	G01.04		B
L	G02.02		B
L	G01.06		B
M	E01.03		O
L	A04.03		I
M	A04		B
M	E01.02		O
M	J03.02		I
M	D01.02		B

Rank: H = high, M = medium, L = low
Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification, T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions
i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
	X		

4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	90
Joint or Co-Ownership		0
Private		10
Unknown		0
sum		100

4.5 Documentation

Piante Vascolari:Del Prete C., Tomaselli M. 1988. Studi sulla flora e vegetazione della conca glaciale del Lago Torbido e del Lago Turchino al Monte Rondinaio (Appennino lucchese-modenese). IV. La flora Braun-Blanquetia 2: 33-60.Ferrarini E. 1977. Cenosi a "Picea abies (L.) Karst." relitte sull'Appennino. Ann. Acc. Ital. Sci. For., 26:185-237.Ferrarini E. 1979. Note floristiche sull'Appennino settentrionale (dal Passo della Cisa al Passo delle Radici). Webbia 33(2): 235-267.Foggi B., Rossi G. 1996. A survy of the genus Festuca L. (Poaceae) in Italy. I. The species of the summit flora in the Tuscan-Emilian Apennines and Apuan Alps. Willdenowia 26: 183-215.Gerdol R., Tomaselli M. 1993. The vegetation of wetlands in the northern Apennines (Italy). Phytocoenologia 21(4): 421-469.Herbarium Horti Pisani (PI), Pisa.Herbarium Universitatis Florentinae, Firenze.Mazzolini G. 1990 Guida ai fiori dell'Abetone e dintorni. Giardini editori Pisa.Orsino F. 1971. Affinita' floristiche fra le Alpi Apuane e l'Appennino ligure. Lav. Soc. Ital. Biogeogr. n. s. 1: 127-147.Ujhelyi J. 1959. Revision des especes du genre Sesleria en Italie. Webbia 14(2): 597-614.Insetti:Collezione Paolo Maria Casini, Firenze.Collezione Piero Abbazzi, Firenze.Marini M., Trentini M. 1986. I Macrolepidotteri dell'Appennino Lucchese. Universita' degli Studi di Bologna Istituto e Museo di Zoologia. Bologna Arti Grafiche Tamari 136 pp.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	100.0				

5.2 Relation of the described site with other sites:

designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT41	Orrido di Botri	/	
IT42	ZPS Campolino	/	
IT13	Orrido di Botri	/	
IT13	Alta Valle del Sestaione	/	
IT13	ZPS Pian degli Ontani	/	
IT42	ZPS Pian degli Ontani	/	
IT41	Alta Valle del Sestaione	/	
IT13	ZPS Campolino	/	

5.3 Site designation (optional)

6. SITE MANAGEMENT

[Back to top](#)

6.1 Body(ies) responsible for the site management:

Organisation:	Regione Toscana
Address:	Via di Novoli, 26 - 50127 Firenze
Email:	parchiareeprotette_biodiversita@regione.toscana.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes	Name: Piano di assestamento forestale. Link:
<input type="checkbox"/>	No, but in preparation	
<input checked="" type="checkbox"/>	No	

6.3 Conservation measures (optional)

Piano di assestamento forestale.

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:	
-------------	--

Map delivered as PDF in electronic format (optional)

<input type="checkbox"/>	Yes	<input checked="" type="checkbox"/>	No
--------------------------	-----	-------------------------------------	----

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

223SE 223NE 1:25.000 UTM
