



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE

IT51A0012

SITENAME

Tombolo da Castiglion della Pescaia a Marina di Grosseto

## TABLE OF CONTENTS

- 1. SITE IDENTIFICATION
- 2. SITE LOCATION
- 3. ECOLOGICAL INFORMATION
- 4. SITE DESCRIPTION
- 5. SITE PROTECTION STATUS
- 6. SITE MANAGEMENT
- 7. MAP OF THE SITE

## 1. SITE IDENTIFICATION

1.1 Type	1.2 Site code	<a href="#">Back to top</a>
C	IT51A0012	

### 1.3 Site name

Tombolo da Castiglion della Pescaia a Marina di Grosseto
--

1.4 First Compilation date	1.5 Update date
1995-07	2019-12

### 1.6 Respondent:

Name/Organisation:	Regione Toscana - Direzione Ambiente ed Energia - Settore Tutela della Natura e del Mare
Address:	Via di Novoli, 26 - 50127 Firenze
Email:	parchiareeprotette_biodiversita@regione.toscana.it

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	2004-03
National legal reference of SPA designation	Del.C.R. n.6 del 21/01/2004
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-05
National legal reference of SAC designation:	DM 24/05/2016 - G.U. 139 del 16-06-2016

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

10.942222

Latitude

42.743611

2.2 Area [ha]:

373.0

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

### 2.5 Administrative region code and name

NUTS level 2 code	Region Name

Mediterranean (100.0%)

[Back to top](#)

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

[illegible]

Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<a href="#">Ammophila arundinacea</a>						P						X
I		<a href="#">Brithys crini</a>						R						X
I		<a href="#">Chalcophora detrita</a>						P						X
I		<a href="#">Charaxes jasius</a>						P						X
I		<a href="#">Coenonympha elbana</a>						P						X
P		<a href="#">Coris monspeliensis</a>						R						X
P		<a href="#">Crucianella maritima</a>						P						X
P		<a href="#">Daphne sericea</a>						P						X
I		<a href="#">Eurynebria complanata</a>						P						X
P		<a href="#">Juncus subulatus</a>						R						X
R		<a href="#">Lacerta bilineata</a>						P					X	
I		<a href="#">Lophyridia litoralis nemoralis</a>						P						X
R	1250	<a href="#">Podarcis sicula</a>						C	X					
I		<a href="#">Sphecius antennatus</a>						P						X
I		<a href="#">Xerosecta contermina</a>						P						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N17	92.0
N04	8.0
Total Habitat Cover	100

#### Other Site Characteristics

Pinete artificiali di notevole interesse storico-paesaggistico (presenti da diversi secoli). Oggi sottoposte a trattamenti forestali, presentano un sottobosco più o meno sviluppato di sclerofille sempreverdi.

### 4.2 Quality and importance

Oltre che per il loro valore paesaggistico e per le loro funzioni protettive e ricreative, le pinete rivestono una notevole importanza in quanto ospitano alcune specie ornitiche fortemente minacciate (Coracias garrulus) o molto rare in Italia (Clamator glandarius). Da segnalare la presenza di cordoni litoranei con vegetazione dunale (Ammofileto o Crucianelleto).

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	G01		I
H	B02.03		I
M	D01.01		I
H	G01.03.02		I
M	G05.01		I
M	I01		I
M	G02		I
H	G05.05		I
H	B03		I

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]
H	B01.01		I

### 4.4 Ownership (optional)

Type		[%]
Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	0

Joint or Co-Ownership	0
Private	100
Unknown	0
sum	100

4.5 Documentation

Comunicazione Stefano Vanni.Comunicazione Filippo Fabiano.Collezione Museo "La Specola" (Firenze).Comunicazione Leonardo Favilli.Piante Vascolari: Herbarium Universitatis Florentinae, Firenze.De Dominicis V., Casini S., Boscagli A. - 1985 - La végétation a cistes et bruyères du littoral dela Maremme toscane (Italie centrale). Docum. Phytosoc., n.s., 9: 89-104.De Dominicis V., Casini S., Mariotti M., Boscagli A. - 1988 - La vegetazione di Punta Ala (Prov. di Grosseto). Webbia, 42(1): 101-143.Uccelli:Puglisi L., Fontanelli A., Baldaccini N.E. - 1995 - L'avifauna della Diaccia Botrona: stato attuale e recente evoluzione.Ric. Biol. Selvaggina, 95: 1-50.Archivio RENATO - Repertorio Naturalistico Toscano - Regione ToscanaScoccianti C., Tinarelli R. 1999. Le Garzaie in Toscana - Status e prospettive di conservazione WWF Toscana.Tellini Florenzano G., Arcamone E., Baccetti N., Meschini E., Sposimo P. (eds.) 1997. Atlante degli uccelli nidificanti e svernanti in Toscana (1982-1992) Quaderni del Museo di Storia Naturale di Livorno, Monografie, 1: 414 pp.Insetti:Collezione Claudio Finetti, Massa.Collezione Paolo Magrini, Firenze.Collezione Alessandro Mascagni, Firenze. Collezione Rossano Papi, Castelfranco (AR).Museo di Storia Naturale dell'Universita' di Firenze, Sezione di Zoologia "La Specola".Rocchi S. 1985. Coleotteri raccolti nella Maremma toscana su tronchi di Pino domestico (Coleoptera) Atti Mus. civ. Stor. nat. Grosseto, 6: 13-16.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT13	100.0	IT11	100.0		

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Regione Toscana
Address:	Via di Novoli, 26 - 50127 Firenze
Email:	parchiareeprotette_biodiversita@regione.toscana.it

6.2 Management Plan(s):

An actual management plan does exist:

☐ Yes

☐ No, but in preparation

☒ No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐ Yes

☒ No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

105 II SO - 105 II N 1:25000 Gauss-Boaga